



U.S. Department of Transportation

National Highway Traffic Safety Administration

Dear Crash Data Researchers/Users:

Thank you for choosing crash data from the National Highway Traffic Safety Administration (NHTSA) for your research or other use. The information contained in this motor vehicle crash report is collected, maintained and distributed in accordance with Public Law 89-564. In accordance with this Public Law, NHTSA is required not to release any case information until completion of quality control procedures. These procedures include a review of the case material to extract all names, licenses and registration numbers, non-coded interview material, non-research related researcher comments in the margins, non-factual data, and the production number portion of the vehicle identification number (VIN).

If you requested NHTSA to query its database files in order to identify a specific crash, then that query was made using non-personal descriptors you provided for use in our search. This motor vehicle crash may have been identified from a data search and matches the general, non-personal descriptors you provided, but we cannot confirm that this is the specific crash report you requested.

If you have any questions with regard to the above procedures, please contact the Field Operations Branch, Crash Investigation Division, National Center for Statistics and Analysis at 202-366-4820. Again, please be advised that we cannot confirm that this is the case that you have specifically requested nor can we certify the information to be correct.

*** *** ***



PSU 73

CASE SUMMARY

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

U.S. Department of	Transportut.
National Highway Tra	affic Safety

CASE NO. 117A TYPE OF ACCIDENT ___pickup truck-stump//head on

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES
--

(Provide a summary of the accident sequence as well as any particular event of the accident that is noteworthy. Injury mechanism and vehicle crashworthiness is the focus, not driver culpability. Do not include any personal identifiers.)

SEE ATTACHED

		B. VEHIC	LE PROFILE(S)-	
	Class		Most Sevel Based on Vehi		
Vehicle No.	of Vehicle	Year/Make/Model	Damage Severity Plane Description		Component Failure
			·		
					•

DO NOT SANITIZE THIS FORM

	C. PERSON PROFILE(S)											
Vehicle	Person	Seat	Restraint	Most Severe Injury (TO BE COMPLETED BY ZONE CENTER)								
No.	Role	Position	Use	Body Region	Injury Type	AIS	Injury Source					
	•											
			-									
							·					
			,									
			·									
				•								
							·					
	·											
. :												

Body Region

Abdomen Ankle-foot Arm (upper)

Back-thoracolumbar spine

Brain
Chest
Ears
Eye
Elbow
Face
Forearm
Head—skull
Heart
Kidneys

Knee Leg (lower)

Lower limbs(s) (whole or unknown part)

Mouth

Liver

Neck-cervical spine

Nose

Pelvic-hip

Pulmonary—lungs

Shoulder Spleen Thigh

Thyroid, other endocrine gland Upper limb(s) (whole or unknown

part) Vertebrae Whole body Wrist—hand

Injury Type

Abrasion Amputation Avulsion Burn Concussion Contusion Crush

Detachment, separation

Dislocation

Fracture

Fracture and dislocation

Laceration Other

Perforation, puncture

Rupture Sprain Strain

Total severance, transection

Unknown

Abbreviated Injury Scale

(1) Minor injury

(2) Moderate injury

(3) Serious injury

(4) Severe injury

(5) Critical injury

(6) Maximum (untreatable)

(7) Injured, unknown severity

DO NOT SANITIZE THIS FORM

1995 Case Summary Form

CASE 117A

PSU73

TYPE OF ACCIDENT: PICKUP TRUCK-STUMP/HEAD ON

A. DESCRIPTION OF THE ACCIDENT SEQUENCE AND ACCIDENT PECULIARITIES

Vehicle #1 was traveling south on a two lane road. As vehicle #1 approached a T-intersection, it drove through the intersection and across a parking lot before going off the pavement to the left and through some tall weeds striking a small tree and then a stump with its front end. Vehicle #1 spun counter-clockwise off impact and the driver was ejected through the left window. Vehicle #1 came to rest southwest of the stump facing east. Vehicle #1 was towed and the driver was killed.

PSU73

1995 Case Summary Form

CASE 117A

TYPE OF ACCIDENT: PICKUP TRUCK-STUMP/HEAD ON

B. VEHICLE PROFILE(S)

V					
e	G3	Variation / Marilian /	F)	Composite of	Component
h.	Class of	Year/Make/	Damage	Severity	•
No	Vehicle	Model	Plane	Descr.	Failure
			-		
			•		
01	full size pickup	1995 GMC Sierra	front	severe	none
01					

PSU73

1995 Case Summary Form

CASE 117A

TYPE OF ACCIDENT: PICKUP TRUCK-STUMP/HEAD ON

C. PERSON PROFILE(S)

v h. No	Person Role	Seat Positon	Restraint Use	Body Region	Injury Type	A I S	Injury Source	,
01	driver	L/F	Airbag Only	Neck	Fx/disloc	6	Ground	



ACCIDENT COLLISION DIAGRAM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM


National Highway Traffic Safety Administration Indicate 3 Case Number-Stratum North PSU No. Buldina STUMP 32 weeds of Y 38 \$~ Parking RP <u>ዓ</u>ረሱላ Bulding Building .Gn m 3.43 3. Yz A 3,2 570 F

U.S. Department of Transportation

ACCIDENT COLLISION DIAGRAM

National Highway Traffic Safety
Administration

NATIONAL ACCIDENT SAMPLING SYSTEM
CRASHWORTHINESS DATA SYSTEM



	## (***)						i	:										
														C.		ر <u>ل</u> ي	of	4
	-																	
					į													
					Δ,			••••					••••••			-		
ļ					1,			***********										
-					ا. ا	<u>.</u>												
		ሕ			į	ì												
					l	-												
											2							
							or of the last of						-				***************************************	
F			7		1 2	· ·							-					
2	Pave I	aeab)		<u> </u>	<u>ڊ</u> "	()					wet Aspha	. T						
-							common of the co				4127		,					
-																		
-		¥	y															
						a.												TO THE PARTY OF TH
	.																	***************************************
				س														
		,																e e e e e e e e e e e e e e e e e e e
																		117111111111111111111111111111111111111
			7p				۲	1										
ľ							17,	\ \										
-		·			<u> </u>		L.	٦ 1		<u></u>			***************************************					
										\bigcap								
+	1				<u>:</u>	<u>:</u>												
									<u>.</u>									
													***************************************		· · · · · · · · · · · · · · · · · · ·			
												 						
			<u></u>	<u> </u>				<u> </u>	<u></u>			.				<u> </u>		

į.

									<u> </u>						3	of	4	
													В	IILD I N	6			
	-																	
							۲-٦											
	Nort						A V,			Л								
	Net Asplic Oliz	} -					لــا											
•																		
rkir Lot																		
													╨					
														•••••				
	-													-				
															٩	erking LOT		
							Γ <u>-</u>]										`	
							٧,											
							L											
							-		ا الم								r	
																		-
						•							4121					ļ.
							ſ											
			5 7 8	•								.,						
								, s	top									
							L-J											
							٧, ¦											
		•	!					1			:							

								¦ ٧,							4	of	4
			·					لــا	1								
								-		9 %							
										98							
							•						اد د				
								[
			5 9 1	•				<u>.</u>	s	top.							
								ר־ז									
								A	ļ								
••••••								ניי	ļ					1			
									<u> </u>		 * 1	DARK	BUT L	16HT	P	ļ	
												ra:	ところ				
•••••						,	e,							-			
•••••						ASP •/	uet UALT IZZ										
		ļ.															
									and the second								, , , , , , , , , , , , , , , , , , , ,
,									and control of the co								
	<u> </u>					ļ			1								
						ļ								·			
						ļ											ļ
									Control of the Contro								

		ļ		-		-					 				ļ		ļ
									OLD THE STREET								
						-			·		 						
					-	 		Δ.	-		<u> </u>		<u> </u>	<u> </u>		-	
•••••						ļ		٧,									
IS Ear	m 421	3 (1/95)	\					*			 		Saala	1	notor -	25.	met



29.1

ACCIDENT COLLISION U.S. Department of Transportation NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM National Highway Traffic Safety MEASUREMENT TABLE Administration Primary Sampling Unit Number $\frac{7}{3}$ Case Number - Stratum ACCIDENT COLLISION DIAGRAM Document vehicle dynamics including: Document the physical plant: **CRASH DATA** VEH. #1 VEH. #2 VEH. #3 * reference point and reference line relative * all road/roadway delineation (e.g., curbs/edge lines, lane markings, median to physical features present at the scene markings, pavement markings, parked 180 Heading Angle vehicles, poles, signs, etc.) scaled documentation of all accident induced physical evidence * all traffic controls (e.g., speed limit) aspha LT scaled documentation of all roadside Surface Type objects contacted north arrow placed on diagram Surface WET scaled representations of the vehicle(s) at Condition roadway surface type and condition of pre-impact, impact, and final rest based applicable roadways upon either: Coefficient of grade measurements for all applicable Friction roadways and at location of rollover a) physical evidence, or initiation Grade (v/h) %22 b) reconstructed accident dynamics Measurement (between impact roadway curvature and final rest) Grade (v/h) 1/12 Measurement (at location of rollover initiation) Reference line: E edge Parkine Reference Point: No Dumping 519-Distance and Direction Distance and Direction Item from Reference Point from Reference Line 125.2 m N 66 m A SOUTH 26,8m N RF 2.2 m E END Track 44 m E RF 3.22m E PATH 16m5/ 16ms weeds 89 m E 25 m 5

HS Form 431A (1/95) 5PILL

Building

41,5 ms

41 45

2 8 m W

5.5 m E

ltem	Distance and Direction from Reference Point	Distance and Direction from Reference Line
:		
	,	
		and the second s

Administration

U.S. Department of Transportation National Highway Traffic Safety

ACCIDENT FORM

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

 Primary Sampling Unit Number Case Number - Stratum 	73 117A
IDENTIFICATI	ON
3. Number of General Vehicle Forms Submitted	ØL
4. Date of Accident (Month, Day, Year)	/ 9 5
5. Time of Accident	2 1 5 5
Code reported military tim	e of accident.

NOTE: Midnight = 2400

Unknown = 9999

that ha	(√) each special study (SS15-SS18 as been completed; code 1 for the studies and 0 for the special stu d.	checked
6.	SS15 Administrative Use	ø

SPECIAL STUDIES - INDICATORS

6.	 SS15 Administrative Use	<u></u>
7.	 SS16 Pedestrian Crash Data Study (Data for this special study available	_0_
8.	 in a separate file.) SS17 Impact Fires	<u>4</u>
9.	 SS18 Unsafe Driver Actions	Ø
10.	 SS19	ø

NUMBER OF EVENTS

11. Number of Recorded Events in This Accident

Code the number of events which occurred in this accident.

ACCIDENT EVENTS

For each event that occurred in the accident, code the lowest numbered vehicle in the left columns and the other involved vehicle or object in the right columnss.

Accident Event Sequence Number	Vehicle Number	Class Of Vehicle	General Area of Damage	Vehicle Number or Object Contacted	Class Of Vehicle	General Area of Damage
12. <u>0 1</u>	13. <u>Ø</u>]	14. 3 1	15. <u>F</u>	16. <u>닉 【</u>	17. <u>Ø</u> <u>Ø</u>	18. <u>Ø</u> _
19. <u>0 2</u>	20. <u>\$ 1</u>	21. 3 1	22. <u>F</u>	23. <u>H</u> <u>2</u>	24. <u>Ø</u> <u>Ø</u>	25. _Ø _
26. <u>0</u> <u>3</u>	27	28	29	30	31	32
33. <u>0 4</u>	34	35	36	37	38	39
40. <u>0</u> <u>5</u>	41	42	43	44	45	46

IF GREATER THAN FIVE EVENTS, CONTINUE CODING ON THE ACCIDENT EVENT SUPPLEMENT

CODES FOR CLASS OF VEHICLE (31) Large pickup truck (≤ 4,500 kgs GVWR) (00) Not a motor vehicle (38) Other pickup truck (≤ 4,500 kgs GVWR) (01) Subcompact/mini (wheelbase < 254 cm) (39) Unknown pickup truck type (≤ 4,500 kgs GVWR (02) Compact (wheelbase ≥ 254 but < 265 cm) (45) Other light truck (≤ 4,500 kgs GVWR) (03) Intermediate (wheelbase ≥ 265 but < 278 cm) (O4) Full size (wheelbase ≥ 278 but < 291 cm) (48) Unknown light truck type (≤ 4,500 kgs GVWR) (49) Unknown light vehicle type (05) Largest (wheelbase ≥ 291 cm) (50) School bus (excludes van based)(> 4,500 kgs GVWR) (09) Unknown passenger car size (58) Other bus (> 4,500 kgs GVWR) (14) Compact utility vehicle (15) Large utility vehicle (≤ 4,500 kgs GVWR) (59) Unknown bus type (60) Truck (> 4,500 kgs GVWR) (16) Utility station wagon (≤ 4,500 kgs GVWR) (67) Tractor without trailer (19) Unknown utility type (20) Minivan (≤ 4,500 kgs GVWR) (68) Tractor-trailer(s) (78) Unknown medium/heavy truck type (21) Large van (≤ 4,500 kgs GVWR) (79) Unknown light/medium/heavy truck type (24) Van Based school bus (≤ 4,500 kgs GVWR) (28) Other van type (≤ 4,500 kgs GVWR) (80) Motored cycle (90) Other vehicle (29) Unknown van type (≤ 4,500 kgs GVWR) (30) Compact pickup truck (≤ 4,500 kgs GVWR) (99) Unknown **CODES FOR GENERAL AREA OF DAMAGE (GAD)** (R) Right side (T) Top (0) Not a motor vehicle CDS APPLICABLE (L) Left side (U) Undercarriage (N) Noncollision AND OTHER (B) Back (9) Unknown (F) Front VEHICLES (C) Rear of cab (L) Left side (0) Not a motor vehicle TDC (V) Front of cargo area (B) Back of unit with cargo area **APPLICABLE** (N) Noncollision (T) Top (F) Front (rear of trailer or straight truck) **VEHICLES** (U) Undercarriage (R) Right side (D) Back (rear of tractor) (9) Unknown CODES FOR VEHICLE NUMBER OR OBJECT CONTACTED (57) Fence (01-30) - Vehicle Number (58) Wall (59) Building Noncollision (60) Ditch or culvert (31) Overturn - rollover (excludes end-over-end) (61) Ground (32) Rollover - end-over-end (62) Fire hydrant (33) Fire or explosion (34) Jackknife (63) Curb (64) Bridge (35) Other intraunit damage (specify): (68) Other fixed object (specify): (36) Noncollision injury (69) Unknown fixed object (38) Other noncollision (specify): (39) Noncollision - details unknown Collision with Nonfixed Object (70) Passenger car, light truck, van, or other vehicle not in-transport Collision With Fixed Object (71) Medium/heavy truck or bus not in-transport (41) Tree (≤ 10 cm in diameter) (72) Pedestrian (42) Tree (> 10 cm in diameter) (73) Cyclist or cycle (43) Shrubbery or bush (74) Other nonmotorist or conveyance (44) Embankment (45) Breakaway pole or post (any diameter) (75) Vehicle occupant Nonbreakaway Pole or Post (76) Animal (50) Pole or post (≤ 10 cm in diameter) (77) Train (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (78) Trailer, disconnected in transport (79) Object fell from vehicle in-transport (52) Pole or post (> 30 cm in diameter) (53) Pole or post (diameter unknown) (88) Other nonfixed object (specify): (54) Concrete traffic barrier (89) Unknown nonfixed object (55) Impact attenuator (56) Other traffic barrier (includes guardrail) (98) Other event (specify): (99) Unknown event or object

(9) Unknown

• 🔾	 • • •	
	_	_
/ 1	Page	

		V ₁
	OCCUPANT RELATED	44. Vehicle Cargo Weight
37.	Driver Presence in Vehicle (0) Driver not present (1) Driver present (9) Unknown	10 kilograms. (000) Less than 5 kilograms (450) 4,500 kilograms or more (999) Unknown
38.	Number of Occupants This Vehicle (00-96) Code actual number of occupants for this vehicle (97) 97 or more	Source:lbs X .4536 =,kgs ROLLOVER DATA
39.	(99) Unknown Number of Occupant Forms Submitted	45. Rollover (00) No rollover (no overturning)
	AIR BAG RELATED	Rollover (primarily about the longitudinal axis) (01-16) Code the number of quarter turns
40.	Is this an AOPS Vehicle? (0) No (includes unknown) (1) Yes - researcher determined (2) VIN determined air bag system	(01-16) Code the number of quarter turns (17) Rollover, 17 or more quarter turns (specify): (98) Rolloverend-over-end (i.e., primarily about the lateral axis) (99) Rollover (overturn), details unknown
<i>A</i> 1	(3) VIN determined automatic (passive) belts (4) VIN determined air bag and automatic (passive) belts Air Bag(s) Deployment, First Seat Frontal	46. Rollover Initiation Type (00) No rollover (01) Trip-over
₩1.	(0) Not equipped or not available (1) No air bags deployed Single Air Bag Vehicle	(02) Flip-over (03) Turn-over (04) Climb-over (05) Fall-over (06) Bounce-over
	 (2) Driver air bag deployed (3) Driver air bag, unknown if deployed Multiple Air Bag Vehicle (4) Driver side only deployed 	(07) Collision with another vehicle (08) Other rollover initiation type specify): (98) Rolloverend-over-end
	 (5) Passenger side only deployed (6) Driver and passenger side deployed (7) Driver and passenger side unknown if deployed 	(99) Unknown rollover initiation type 47. Location of Rollover Initiation (0) No rollover
	(8) Air bag(s) deployed, details unknown (9) Unknown	(1) On roadway (2) On shoulder—paved (3) On shoulder—unpaved
42.	Air Bag(s) Deployment, Other Than First Seat Frontal (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of	(4) On roadside or divided trafficway median (8) Rolloverend-over-end (9) Unknown
	impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown	48. Rollover Initiation Object Contacted (Note: Applicable codes on back of page)
	(4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical)	49. Location on Vehicle Where Initial Principal <u>Ø</u> Tripping Force Is Applied (0) No rollover
	(5) Unknown if deployed(7) Nondeployed(9) Unknown	(1) Wheels/tires (2) Side plane (3) End plane
	Specify type of "other" air bag present:	(4) Undercarriage (5) Other location on vehicle (specify):
		(6) Non-contact rollover forces (specify):
	VEHICLE WEIGHT ITEMS	(8) Rolloverend-over-end (9) Unknown
43	3. Vehicle Curb Weight 178 0 Code weight to nearest 10 kilograms.	50. Direction of Initial Roll (0) No rollover (1) Roll right - primarily about the longitudinal axis
	(045) Less than 450 kilograms (610) 6,100 kilograms or more (999) Unknown	(2) Roll left - primarily about the longitudinal axis
	3,932 lbs x .4536 = 1,775 kgs	(8) Rolloverend-over-end (9) Unknown roll direction

CODES FOR ROLLOVER INITIATION OBJECT CONTACTED

(00) No rollover (01-30) — Vehicle Number	(57) Fence (58) Wall
Noncollision	(59) Building (60) Ditch or culvert
(31) Turn-over — fall-over	(61) Ground
(32) No rollover impact initiation (end-over-end)	(62) Fire hydrant
(34) Jackknife	(63) Curb
	(64) Bridge
Collision With Fixed Object	(68) Other fixed object (specify):
(41) Tree (≤ 10 cm in diameter)	· · · · · · · · · · · · · · · · · · ·
(42) Tree (> 10 cm in diameter)	(69) Unknown fixed object
(43) Shrubbery or bush	
(44) Embankment	Collision with Nonfixed Object
	(70) Passenger car, light truck, van, or other
(45) Breakaway pole or post (any diameter)	vehicle not in-transport
	(71) Medium/heavy truck or bus not in-transport
Nonbreakaway Pole or Post	(76) Animal
(50) Pole or post (≤ 10 cm in diameter)	(77) Train
(51) Pole or post (> 10 cm but ≤ 30 cm in	(78) Trailer, disconnected in transport
diameter)	(79) Object fell from vehicle in-transport
(52) Pole or post (> 30 cm in diameter)	(88) Other nonfixed object (specify):
(53) Pole or post (diameter unknown)	
	(89) Unknown nonfixed object
(54) Concrete traffic barrier	
(55) Impact attenuator	(98) Other event (specify):
(56) Other traffic barrier (includes guardrail)	10.0\ TI
(specify):	(99) Unknown event or object



J.S. Department of National Highway 1		FX1	TERIOR \	/EHIC	LE FO)RM	NAT	ONAL AC	CIDENT SA	AMPLING	SYSTEM SYSTEM
Administration						·		CNASHW	ONTHINES	A A	7
1. Primary S	Sampling Unit Num	nber	73	_ -3.	Vehicle	Number	ſ			<u> </u>	'
2. Case Nur	mber - Stratum	_1_1	L7 A	_							
		V	EHICLE ID	ENTIF	ICATIO	NC					
	_		. S			and the second district the second se			Model Ye	9.	5
VIN <u> G</u>	TECI	<u> </u>	407			- Alexander and a second		: : N	иоаеі те	ar	
Vehicle Make	(specify):	5mc		_ '	/ehicle N	Aodel (s	pecify):	SIE	RRA		
			LO	CATO	R						
Locate the er	nd of the damage aged axle for side	with respecting	t to the vehi	cle long	itudinal	center l	ine or b	umper c	orner fo	r end im	pacts
Specific Impact		Direct Damag	je		Location	of Field L		Le	ocation of	Max Cru	sh
Ø١		- Corner	(icn 55	fron	+		<u>e</u>	<u>c, </u>		
	ntify the plane at		SH PROFIL								
imp Fre the side	asure C1 to C6 front of the control	efined as thions. This ord the valu	ne distance l may include e for each C	betweer the fol c-measu	n the ba lowing: rement	seline a bumper and max	nd the c lead, bu ximum c	original b umper ta	oody co	ntour ta	ken at usion,
Specific		Direct D			0 000					i	
Impost	Plane of Impact C-Measurements	Width (CDC)	Max Crush	Field L	C ₁	C ₂	C ₃	C₄	C₅	C ₆	±D
ØI	Bumper level	47 cm	100 cm	130	106	43	24	18	- 11	٩	-69
			at Bumpea Conneck		6	4_	1	-1	4	6	<u> </u>
					100	39	25	17	7	3	_
	ADJUST FOR SPECS		Down SIDE		-1	1	1	-1	6	1	V .
	60-542=18		227cm		99	38	24_	16	6	2	+
	3 sumper 15 Whread			ļ	-		1			-	
	taking 17 cm off				 						†
	ve mud to sustra			<u> </u>							
	14 400 14 208 TT	1 1 1 1 1 1									
7 Å 12 26 m										 	<u> </u>

ORIGINAL SPECIFICATIONS WORK SHEET


Wheelbase	131.5	1+7.5	inches	x	2.54	=	334 <u>298</u> cm
Overall Length	213.4	1945	inches	x	2.54	=	542 444 cm
Maximum Width		3932	inches	x	2.54	=	cm
Curb Weight			pounds	x	.4536	= 1	1841725 kg
Average Track			inches	x	2.54	-	168 cm
Front Overhang 95			inches	x	2.54	=	-92cm
Rear Overhang			inches	x	2.54	=	<u>1/5</u> cm
Undeformed End Width	1	·	inches	x	2.54	=	cm
Engine Size: cyl./displ.			СС	x	.001	=	<u>5.ø</u> L
			CID	x	.0164		L

width = Front 174

Reas 162

Aug 168

WB 131.5 - 334 OAL 213.4 - 542



Annotate any damage caused by extrication such as component removal by torching, prying, or hydraulic shears.

CDC WOF	RKSHEET
CODES FOR OBJE	ECT CONTACTED
01-30) — Vehicle Number Noncollision (31) Overturn — rollover (excludes end-over-end) (32) Rollover—end-over-end (33) Fire or explosion (34) Jackknife	 (57) Fence (58) Wall (59) Building (60) Ditch or culvert (61) Ground (62) Fire hydrant (63) Curb
(35) Other intraunit damage (specify): (36) Noncollision injury	(64) Bridge (68) Other fixed object (specify): - דושנ שיים ליטשיל (69) Unknown fixed object
(38) Other noncollision (specify): (39) Noncollision — details unknown	Collision with Nonfixed Object (70) Passenger car, light truck, van, or other
Collision With Fixed Object (41) Tree (≤ 10 cm in diameter) (42) Tree (> 10 cm in diameter) (43) Shrubbery or bush (44) Embankment	vehicle not in-transport (71) Medium/heavy truck or bus not in-transport (72) Pedestrian (73) Cyclist or cycle (74) Other nonmotorist or conveyance
(45) Breakaway pole or post (any diameter)	(75) Vehicle occupant (76) Animal
Nonbreakaway Pole or Post (50) Pole or post (≤ 10 cm in diameter) (51) Pole or post (> 10 cm but ≤ 30 cm in diameter) (52) Pole or post (> 30 cm in diameter)	 (77) Train (78) Trailer, disconnected in transport (79) Object fell from vehicle in-transport (88) Other nonfixed object (specify):
(53) Pole or post (diameter unknown) (54) Concrete traffic barrier	(89) Unknown nonfixed object (98) Other event (specify):
(55) Impact attenuator (56) Other traffic barrier (includes guardrail) (specify):	(99) Unknown event or object
Accident (1) (2) Event Direction Incremental Sequence Object of Force Value of Def	CATION BY EVENT NUMBER (4) (5) Specific Specific (6) (3) Longitudinal Vertical or Type of (7) formation or Lateral Lateral Damage Deformation cocation Location Distribution Extent
\$ 1 6 8 or 47 \$ \$ \$ \$ \$	F L E W \$ 5(9)
	F 9 9 9 9 DAM

COLLISION DEFORMATION CLASSIFICATION								
LUCUECT		5012101011						
Accident Event Sequence Number	Object Contacted	(1) (2) Direction of Force	(3) Deformation Location	(4) Longitudinal or Lateral Location	(5) Vertical or Lateral Location	(6) Type of Damage Distribution	(7) Deformation Extent	
4. <u>Ø 2</u>	5. <u>4</u> 2	6. 1 2	7. <u>.</u> F_	8. <u>L</u>	9. <u>E</u>	10 W	11. ø 9	
Second H	ighest Delta "V	· ••						
12. Ø 1	13. <u>4</u> <u>1</u>	14. 9 9	15. <u>9</u>	16. <u>9</u>	17. <u>9</u>	18. <u></u>	19. <u>9</u> 9	
		CRUS	H PROFILE	IN CENTIM	ETERS			
	The crush pro in the appr	file for the dan opriate space I	nage described below. (ALL M	in the CDC(s)	above should S ARE IN CEN	be documente	ed	
HIGHEST	DELTA "V"							
20. 	21. 			C ₄	C ₅ -	C ₆	22. 	
185	<u> </u>	4 3 8	<u> </u>	416 6	<u> </u>	<u>d</u> 2	÷ <u>6 6 9</u>	
Second H	ighest Delta "V	<u>/</u> ·n						
23. 	24. 				C ₅	C ₆	25. 	
							+	
(Code impac (250) (998) (999) 27. Direct (For h	250 centimete No highest sev Unknown Damage Width ighest severity in Code to the no	severity e impact.) earest centimete ers or more verity end plane impact) earest centimet	6 impact 64 7	(650) (999) /_3 29. Origin (185)	al Average Tra Code to the r centimter 185 centimet	ers or more X 2.54 = <u>3</u> 3 ck Width nearest	3 3 4 4 centimeters	
	250 centimete Unknown	01 111016			Unknown inches	x 2.54 = <u> </u> 6	8 centimeters	

			FUEL SYSTEM
30.	Are CDCs Documented but Not Coded on The	<u></u>	35. Location of Fuel Tank-1 Filler Cap
	Automated File? (0) No (1) Yes		 36. Location of Fuel Tank-2 Filler Cap (0) No fuel tank (1) On back plane (2) Aft of center of the rear wheels (rear axle) on left side plane
	Researcher's Assessment of Vehicle Disposition (0) Not towed due to vehicle damage (1) Towed due to vehicle damage (9) Unknown	ø	(3) Aft of center of the rear wheels (rear axle) on right side plane (4) Forward of center of the rear wheels (rear axle) on left side plane (5) Forward of center of the rear wheels (rear axle) on right side plane (6) Over the center of the rear wheels (rear axle) on left side plane (7) Over the center of the rear wheels (rear
32.	Is This A Multi-Stage Manufactured Vehicle And/Or A Certified Altered Vehicle? (0) No post manufacturer modifications (1) Yes - post manufacturer modifications (specify):		(7) Over the center of the real wheels (real axle) on right side plane (8) Other (specify): (9) Unknown 37. Type of Fuel Tank-1
	(Include photograph of CERTIFICATION PLACARD in case report) (9) Unknown if vehicle is modified		38. Type of Fuel Tank-2 (0) No fuel tank (electrical vehicle) (1) Metallic (2) Non-metallic (9) Unknown
	FIRE OCCURRENCE		39. Location of Fuel Tank-1 40. Location of Fuel Tank-2
	Fire Occurrence (0) No fire Yes, fire occurred (1) Minor (2) Major (9) Unknown Origin of Fire (0) No fire (1) Vehicle exterior (front, side, back, top) (2) Exhaust system (3) Fuel tank (and other fuel retention system parts) (4) Engine compartment (5) Cargo/trunk compartment (6) Instrument panel (7) Passenger compartment area (8) Other location (specify):	<u>\$</u>	(0) No fuel tank (1) Aft of center of the rear wheels (rear axle) centered (2) Aft of center of the rear wheels (rear axle) left side (3) Aft of center of the rear wheels (rear axle) right side (4) Forward of center of the rear wheels (rear axle) centered (5) Forward of center of the rear wheels (rear axle) left side (6) Forward of center of the rear wheels (rear axle) right side (7) Over center of the rear wheels (rear axle) right side (8) Other (specify): (9) Unknown 41. Damage to Fuel Tank-1 42. Damage to Fuel Tank-2 (0) No fuel tank (1) No damage to fuel tank (2) Deformed, no seam failure (3) Deformed, with a seam failure (4) Punctured (5) Lacerated (ripped) (6) Abraded (scraped)
			(7) Filler neck separation from the fuel tank (8) Other damage (specify): (9) Unknown

	3 - /		
43.	Leakage Location of Fuel System-1	1	47. Is This Vehicle Equipped With More Than Two Fuel Tanks?
44.	Leakage Location of Fuel System-2	<u>Ø</u>	(O) No (one or two tanks only)
	(O) No fuel tank		Yes - More Than Two Tanks
	(1) No fuel leakage		(1) Yes no damage to any tank or filler
			(1) Yes no damage to any tank or mier
	Primary Area Of Leakage		cap and no fuel system leakage
	(2) Tank		(2) Yes no damage to any tank or filler
	(3) Filler neck		cap but there is fuel system leakage
	(4) Cap		(specify leakage location):
	(5) Lines/pump/filter		
	(6) Vent/emission recovery		(3) Yes damage to an additional tank or
	(8) Other (specify):		filler cap and there is fuel system leakage
	(9) Unknown		(specify the following):
	(O) CHRICANI		Type of tank
			Tank location
15	Fuel Type-1	d I	Filler cap location
45.	- Luei Type-1	- -	l <u> </u>
16	Eugl Type 2	øφ	Tank damage Location of leakage
40.	Fuel Type-2	<u></u>	Type of fuel
	Single Final Time		Type of fuel(9) Unknown if more than two tanks
	Single Fuel Type		(5) Olikilowii ii iilolo tildii two taliko
	(00) No fuel tank		
	(01) Gasoline		
	(02) Diesel		COMMENTS
	(03) CNG (Compressed Natural Gas)		
	(04) LPG (Liquid Petroleum Gas) also		- GAS TANK PUSHED OUT of Place
	known as Propane		- GAS TANK PUSHED OUT OF THE
1	(05) LNG (Liquid Natural Gas)		Deformed / No LEAKS
1	(06) Methanol (M100 or M85)		Detolary I no LEARS
l	(07) Ethanol (E100 or E85)		
	(08) Other (Hydrogen or others) (specify):		
l			
1	Electric Powered or Electric/Solar		
	Powered Vehicles		
	(10) Lead Acid Battery		
1	(11) Nickel-Iron Battery		
	(12) Nickel-Cadmium Battery		
	(13) Sodium Metal Chloride Battery		
1	(14) Sodium Sulfur Battery		
	(18) Other (Specify):		
	(98) Other Hybrid (specify):		
	(99) Unknown fuel type		
	(35) Similari (35) type		
	EEE OTOD IS THE ODG AS		RIF VEHICLE WAS NOT TOWED ***
	*** CIND, IL IUL MIC AL	/PI II 'AL	SIE VERKLIE WAS NUIL LOWED """

(GV10=0)

DO NOT COMPLETE THE INTERIOR VEHICLE FORM.

NATIONAL ACCIDENT SAMPLING SYSTEM **CRASHWORTHINESS DATA SYSTEM**

_							
U.S.	Department	of	Tran	sp	ort	at	io
		_		_			

ational Highway Traffic Safety INTERIOR VE	HIC
1. Primary Sampling Unit Number 7 3 2. Case Number - Stratum 1 1 7 A	Ту
	15
3. Vehicle Number INTEGRITY	20
MILGMIT	
4. Passenger Compartment Integrity <u>\$\delta\$ lo</u> (00) No integrity loss	
Yes, Integrity Was Lost Through (O1) Windshield (O2) Door (side) (O3) Door/hatch (back door) (O4) Roof (O5) Roof glass (O6) Side window	
(07) Rear window (backlight)	Wi
(08) Roof and roof glass (09) Windshield and door (side)	23
 (10) Windshield and roof (11) Side and rear window (side window and backlight) (12) Windshield and side window (13) Door and side window (98) Other combination of above (specify): 	28
(99) Unknown	
Door, Tailgate or Hatch Opening	Gli
5. LF <u>3</u> 6. RF <u>1</u> 7. LR <u>Ø</u> 8. RR <u>Ø</u> 9. TG/H <u>Ø</u>	31
 (0) No door/gate/hatch (1) Door/gate/hatch remained closed and operational (2) Door/gate/hatch came open during collision (3) Door/gate/hatch jammed shut (8) Other (specify): 	36
(9) Unknown	
Damage/Failure Associated with Door, Tailgate or Hatch Opening in Collision. If IV05-IV09 ≠ 2, Then code Ø	
10. LF <u>Ø</u> 11. RF <u>Ø</u> 12. LR <u>Ø</u> 13. RR <u>Ø</u> 14. TG/H <u>Ø</u>	GI
(0) No door/gate/hatch or door not opened	39
Door, Tailgate or Hatch Came Open During Collision (1) Door operational (no damage) (2) Latch/striker failure due to damage (3) Hinge failure due to damage (4) Door structure failure due to damage	44

CLE FORM **GLAZING** pe of Window/Windshield Glazing i. WS 1 16. LF 2 17. RF 2 18. LR 9 19. RR Ø . BL ~ 21. Roof<u>ø</u> 22. Other <u>Ø</u> (0) No glazing (1) AS-1 - Laminated (2) AS-2 - Tempered (3) AS-3 — Tempered-tinted (original) (4) AS-2 — Tempered-with after market tint (5) AS-3 — Tempered-tinted (with additional after market tint) (6) AS-14 - Glass/Plastic (7) Glazing removed prior to accident (8) Other (specify): (9) Unknown indow Precrash Glazing Status . WS | 24. LF 2 25. RF 2 26. LR **ø** 27. RR **ø** . BL | 29. Roof Ø 30. Other Ø (0) No glazing (1) Fixed (2) Closed (3) Partially opened (4) Fully opened (7) Glazing removed prior to accident (9) Unknown azing Damage from Impact Forces . WS 2 32. LF | 33. RF | 34. LR Ø 35. RR Ø 6. BL | 37. Roof Ø 38. Other Ø (0) No glazing (1) No glazing damage from impact forces (2) Glazing in place and cracked from impact forces (3) Glazing in place and holed from impact forces (4) Glazing out-of-place (cracked or not) and not holed from impact forces (5) Glazing out-of-place and holed from impact forces (6) Glazing disintegrated from impact forces (7) Glazing removed prior to accident (9) Unknown if damaged

- azing Damage from Occupant Contact
- 4. BL \ 45. Roof **6** 46. Other **6**
 - (0) No glazing
 - (1) No occupant contact to glazing
 - (2) Glazing contacted by occupant but no glazing damage (3) Glazing in place and cracked by occupant contact

 - (4) Glazing in place and holed by occupant contact
 - (5) Glazing out-of-place (cracked or not) by occupant contact and not holed by occupant contact
 - (6) Glazing out-of-place by occupant contact and holed by occupant contact
 - (7) Glazing removed prior to accident
 - (8) Glazing disintegrated by occupant contact
 - (9) Unknown if contacted by occupant

(9) Unknown

(5) Door support (i.e., pillar, sill, roof side rail,

(6) Latch/striker and hinge failure due to damage

etc.) failure due to damage


(8) Other failure (specify):

LOCATION OF INTRUSION	INTRUDED COMPONENT	COMPARISON VALUE	l Measu	irements Are In Ce INTRUDED VALUE	ntimeters)	INTRUSION	DOMINANT CRUSH DIRECTION	
/1	DASH	56		87	=	31	2	
11	TOEPAN	65		131	=	66	2	
11	ST wheel	39	_	34	=	5	2	
1-1	BACK WALL	15	_	11	=	4 cm	2	
11	SEAT BACK	10	_	2	=	8	2	
11	SILL	47		86	=	39	3	,
12	DASH	62		רך	=	15	2	
13	DASH	87		87	=	ø	Z]-
11	A-Pillar	69		85	=	16	2	$\Big]$
	W-5 header	72		73	=	l cm	2	7
13	SLATBACK	30		Z	=	28	2	
			_		=			
					=			1
			_		=			1
					=			

		OCCU	PANT AR	EA INTRUSION
Note:	If no intrusions	s, leave variables IV47-IV	86 blank.	INTRUDING COMPONENT
	Location of Intrusion	Intruding Magnitude Component of Intrusion	Dominant Crush Direction	Interior Components (01) Steering assembly (02) Instrument panel left (03) Instrument panel center
1st	47	48. ø <u>5</u> 49. <u>6</u>	50. 2	(O4) Instrument panel right (O5) Toe pan (O6) A (A1/A2)-pillar (O7) B-pillar
2nd	51. <u> </u>	52. 1 8 53. 4	54. 3	(08) C-pillar (09) D-pillar (10) Side panel - forward of the A1/A2-pillar (11) Door panel (side)
3rd	55	56. <u>\$\phi\$</u> 2 57. 4	58. <u>2</u>	(12) Side panel - rear of the B-pillar(13) Roof (or convertible top)(14) Roof side rail(15) Windshield
4th	591_3_	60. <u>2</u> <u>Ø</u> 61. <u>3</u>	62. <u> </u>	(16) Windshield header (17) Window frame (18) Floor pan (includes sill) (19) Backlight header
5th	63	64. <u>\$ 65. 3</u>	662	(20) Front seat back (21) Second seat back (22) Third seat back (23) Fourth seat back
		68. <u>\$</u> 3 69. <u>3</u>		(24) Fifth seat back (25) Seat cushion (26) Back door/panel (e.g., tailgate) (27) Other interior component (specify):
7th	71. 1	72. <u>2</u> ø 73. <u>2</u>	74. 2	BACK WALL of CAB Exterior Components
8th	75. <u> </u>	76. ø l 77. <u>l</u>	78. <u>Z</u>	(30) Hood (31) Outside surface of this vehicle (specify): (32) Other exterior object in the environment
9th	79. <u>l</u> l	80. <u>2</u> <u>7</u> 81. <u>1</u>	82. <u>2</u>	(specify): (33) Unknown exterior object (97) Catastrophic (98) Intrusion of unlisted component(s)
10th	83	84 85	86	(specify): (99) Unknown
Fro	TION OF INTRont Seat (11) Left	RUSION Fourth Seat (41) Left		MAGNITUDE OF INTRUSION (1) ≥ 3 centimeters but < 8 centimeters (2) ≥ 8 centimeters but < 15 centimeters (3) ≥ 15 centimeters but < 30 centimeters
	(12) Middle (13) Right	(42) Middle (43) Right		 (4) ≥ 30 centimeters but < 46 centimeters (5) ≥ 46 centimeters but < 61 centimeters
	cond Seat (21) Left (22) Middle (23) Right	(97) Catastropl (98) Other encl area (spec	losed	(6) ≥ 61 centimeters(7) Catastrophic(9) Unknown
Th	ird Seat (31) Left (32) Middle (33) Right	(99) Unknown		DOMINANT CRUSH DIRECTION (1) Vertical (2) Longitudinal (3) Lateral (7) Catastrophic (9) Unknown

	STEERING RIM/SPOKE DEFORMATION					
(All Measurements Are in Centimeters)						
	COMPARISON VALUE		DAMAGE VALUE	=	DEFORMATION	
TOP	ø	-	2	=	Zem	
				=		
				=		
		_		=		

STEERING COLUMN	INSTRUMENT PANEL
87. Steering Column Type	92. Odometer Reading ϕ ϕ ψ ,000
(1) Fixed column	Lilla madana
(2) Tilt column	kilometers Code to the nearest 1,000 kilometers
(3) Telescoping column	(000) No odometer
(4) Tilt and telescoping column	(001) Less than 1,500 kilometers
(8) Other column type (specify):	(500) 499,500 kilometers or more
(9) Unknown	(999) Unknown 2, 3 3 \ miles x 1.6093 = 3, 7 5 1 kilometers
88. Tilt Steering Column Adjustment	Source: Opometer
(O) No tilt steering column	93. Instrument Panel Damage from
(1) Full up	Occupant Contact?
(2) Between full up and center	(O) No
(3) Center (4) Between center and full down	(1) Yes
(5) Full down	(9) Unknown
(9) Unknown	94. Type of Knee Bolster Covering
	(0) No knee bolster
OO Talaaaaning Cook is a Colour A !!	(1) Padded
89. Telescoping Steering Column Adjustment (0) No telescoping steering column	(2) Rigid plastic
(1) Full back	(8) Other (specify):(9) Unknown
(2) Between full back and midpoint	(o) Shahowh
(3) Midpoint	95. Knee Bolsters Deformed from
(4) Between midpoint and full forward	Occupant Contact? 2
(5) Full forward (9) Unknown	(0) No knee bolster (1) No deformation
(9) Olikilowii	(2) Yes - deformation
, ,	(9) Unknown
90. Steering Rim/Spoke Deformation	
Code actual measured	96. Did Glove Compartment Door Open During Collision(s)?
deformation to the nearest centimeter (00) No steering rim deformation	(0) No glove compartment door
(01-14) Actual measured value in centimeters	(1) No - door did not open
(15) 15 centimeters or more	(2) Yes - door opened
(98) Observed deformation cannot be measured	(9) Unknown
(99) Unknown	97. Adaptive (Assistive) Driving Equipment
	(O) No adaptive driving equipment
91. Location of Steering Rim/Spoke <u>Ø 5</u>	(1) Adaptive driving equipment installed
Deformation	(Check all that apply.) [] Hand controls for braking/acceleration
(00) No steering rim deformation	[] Steering control devices (attached to OEM
Quarter Sections	steering wheel
(01) Section A	[] Steering knob attached to steering wheel
(02) Section B (03) Section C	[] Low effort power steering (unit or device) [] Replacement steering wheel (i.e., reduced
(04) Section D C Upper	diameter)
Lower	[] Joy-stick steering controls
Half Sections	[] Wheelchair tie-downs
(05) Upper half of rim/spoke (06) Lower half of rim/spoke	[] Modification to seat belts (specify):
(07) Left half of rim/spoke	[] Additional or relocated switches (specify):
(08) Right half of rim/spoke	
(00) Complete steering wheel as live	[] Raised roof [] Wall-mounted head rest (used behind
(09) Complete steering wheel collapse (10) Undetermined location	wheelchair)
(99) Unknown	[] Other adaptive device (specify):
	(9) Unknown
	(5) Olikilowii



compartment, damage to instrument panel structure.

Cross hatch contact points, draw spider webs or use other annotation as may be appropriate.

Annotate the contacted area with a letter (begin with A) and list on the Points of Occupant Contact page.

	POIN	TS OF OCC	UPANT CONTACT		
Interior Component Contacted	Occupant No. If Known	Body Region If Known	Supporting Physical	Evidence	Confidence Level of Contact Point
170	øI	UNK	scratched		ØI
	,				1
					,
			<u> </u>		
			W. L		
wheel rim wheel hub/spoke wheel (combination 004 and 005) Insmission ver, other it lephone or CB uipment(e.g., tape onditioner) ment panel and trument panel and ument panel and ument panel and ument panel and including one or e following: front (A1/A2)-pillar, panel, mirror, or sembly (driver I including one or e following: front (A1/A2)-pillar, panel, or mirror side only) reinforced by ject, (specify):	LEFT SIDE (051) Left side excluding armrests (052) Left side armrest (053) Left A (A (054) Left B-pil (055) Other lef (056) Left side (057) Left side (057) Left side (058) Left side (059) Left side (059) Left side including following sill, A (A or roof si (060) Other left (specify): RIGHT SIDE (101) Right side excluding armrests (102) Right side (104) Right B-p (105) Other righ (106) Right side (107) Right side (107) Right side (108) Right side (109) Right side	e interior surface, g hardware or	INTERIOR (151) Seat, back support (152) Belt restraint webbing/buckle (153) Belt restraint B-pillar or door frame attachment point (154) Other restraint system component (specify): (155) Head restraint system (160) Other occupants (specify): (161) Interior loose objects (162) Child safety seat (specify): (163) Other interior object	(301) Backlight (rear (302) Backlight stora door, etc. (303) Other rear objection of the control	age rack, ect (specify): VE) DRIVING for ration ol devices EM steering attached to detering wheel diameter) ring controls downs o seat belts, elocated cify): head rest wheel chair) o device
VVVO EVIL HAT TO PARTICLE FOR THE	component contacted 70 wheel rim wheel hub/spoke wheel (combination 204 and 005) ansmission ver, other at lephone or CB uipment(e.g., tape onditioner) ment panel and trument panel and trume	Interior Component Contacted 70	Interior Component Contacted No. If Known If	Cocupant No. If Known Supporting Physical	Interior Component Contacted Known No. If Region Region (Component Contacted Known No. If Known Supporting Physical Evidence

MANUAL RESTRAINTS

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

If a Child safety seat is present, encode the data on the back of this page.

If the vehicle has automatic restraints available, encode the appropriate data on the back of the previous page.

		Left	Center	Right
	Availability	4	3	4
F	Evidence of usage	Ød	øø	Øø
	Used in this crash?	77	φ	ø
R S	Proper Use	ø	ý	ø
Ť	Failure Modes	P	ø	q
	Anchorage Adjustment	φ	Ø	g
	Availability			•
s	Evidence of usage			
Ĕ	Used in this crash?			
SECON	Proper Use			
N D	Failure Modes			
<i>-</i>	Anchorage Adjustment			
	Ávailability			
0	Evidence of usage			
Ť	Used in this crash?	·		
H E	Proper Use			
R	Failure Modes			
	Anchorage Adjustment			

Manual (Active) Belt System Availability

- (0) None available
- (1) Belt removed/destroyed
- (2) Shoulder belt
- (3) Lap belt
- (4) Lap and shoulder belt
- (5) Belt available type unknown

Integral Belt Partially Destroyed

- (6) Shoulder belt (lap belt destroyed/removed)
- (7) Lap belt (shoulder belt destroyed/removed)
- (8) Other belt (specify):
- (9) Unknown

Manual (Active) Belt System Use

- (00) None used, not available, or belt removed/destroyed
- (01) Inoperable (specify):
- (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used - type unknown
- (08) Other belt used (specify):
- (12) Shoulder belt used with child safety seat
- (13) Lap belt used with child safety seat
- (14) Lap and shoulder belt used with child safety seat
- (15) Belt used with child safety seat type unknown
- (18) Other belt used with child safety seat (specify):
- (99) Unknown if belt used

Proper Use of Manual (Active) Belts

- (0) None used or not available
- (1) Belt used properly
- (2) Belt used properly with child safety seat

Belt Used Improperly

- (3) Shoulder belt worn under arm
- (4) Shoulder belt worn behind back or seat
- (5) Belt worn around more than one person
- (6) Lap belt worn on abdomen
- (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify):
- (8) Other improper use of manual belt system (specify):
- (9) Unknown

Manual (Active) Belt Failure Modes During Accident

- (0) No manual belt used or not available
- (1) No manual belt failure(s)
- (2) Torn webbing (stretched webbing not included)
- (3) Broken buckle or latchplate
- (4) Upper anchorage separated
- (5) Other anchorage separated
- (7) Combination of above (specify):
- (8) Other manual belt failure (specify):
- (9) Unknown

Shoulder Beit Upper Anchorage Adjustment

- (0) No shoulder belt
- (1) No upper anchorage adjustment for shoulder belt

Adjustable shoulder Belt Upper Anchorage

- (2) In full up position
- (3) In mid position
- (4) In full down position
- (5) Position unknown
- (9) Unknown if position has adjustable upper anchorage adjustment

		AUTOMATIC RESTRAIL	NTS			
NOTE	S: Encode the data for each app below. Restraint systems sh Assessment Form.		attribute f	for the variables metion then coded o	ay be found n the Occupan	
	Assessment rom.	Left Front	Ri	ght Front	Other	
F	Availability/Function			Ø		
- 1	<u> </u>	A : 1	· .	Ø		
RS	Deployment Failure	1.54		ø		
T Air Ban		Frontal Air Bag System Deployment		Bag(s) Deployment, <u>O</u>		
Air Bag System Availability/Function (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown Are There Indications of Air Bag System Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify):		 (This Occupant Position) (0) Not equipped/not available (1) Deployed during accident (as a of impact) (2) Deployed inadvertently just praccident (3) Deployed, accident sequence undetermined (4) Deployed as a result of a none event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown 	a result ior to collision ce	Seat Frontal (This Occupant Position) (0) Not equipped with an "other" air it (1) Deployed during accident (as a res of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown		
	Unknown					
		AUTOMATIC BELTS	· · · · · · · · · · · · · · · · · · ·		· · · · · · · · · · · · · · · · · · ·	
		Left		Right		
•	Availability/Function					
F	Use					
Ŕ	Туре		NVA			
S T	Proper Use		·			
•	Failure Modes					
Availa (0) (1) (2) (3) Nor (4) (9) Auton (0) (1) (2) (3)	natic (Passive) Belt System bility/Function Not equipped/not available 2 point automatic belts 3 point automatic belts Automatic belts - type unknown a-functional Automatic belts destroyed or rendered inoperative Unknown natic (Passive) Belt System Use Not equipped/not available/destroyed or rendered inoperative Automatic belt in use Automatic belt not in use (manually disconnected, motorized track inoperative) Automatic belt use unknown Unknown	Proper Use of Automatic (Passive) E System (0) Not equipped/not available/not (1) Automatic belt used properly (2) Automatic belt used properly child safety seat Automatic Belt Used Improperly (3) Automatic shoulder belt work arm (4) Automatic shoulder belt work back (5) Automatic belt worn around than one person (6) Lap portion of automatic belt on abdomen (7) Automatic lap and shoulder I automatic shoulder belt used improperly with child safety seat (specif	bit used with under behind more worn belt or	utomatic (Passive) Belt uring Accident (0) Not equipped/not (1) No automatic belt (2) Torn webbing (str included) (3) Broken buckle or (4) Upper anchorage (5) Other anchorage (6) Broken retractor (7) Combination of a (8) Other automatic (9) Unknown	available/not in us failure(s) etched webbing n latchplate separated separated (specify bove (specify):	
Auton (0) (1) (2)	natic (Passive) Belt System Type Not equipped/not available Non-motorized system Motorized system Unknown	(8) Other improper use of autom system (specify):	atic belt			

FIRST SEAT FRONTAL AIR BAGS

NOTES: Encode the applicable data for the driver and first seat passenger in the vehicle. The attribute for the variable may be found below. Restraint systems should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

	Driver	Passenger
Type of air bag?		
Flaps open at tear points?	2	
Flaps damaged?	1	
Air bag damaged?	øl	
Source of air bag damage	Ø	
Air bag tethered?	2	
Air bag have vent ports?	2	
Other occupant contact air bag?	#	
Occupant wearing eyewear?	9	

Type of Air Bag

- (0) Not equipped/not available
- (1) Original manufacturer installed system
- (2) Retrofitted air bag
- (3) Replacement air bag
- (8) Unknown type of air bag
- (9) Unknown

Did Air Bag Module Cover Flap(s) Open At Designated Tear Points?

- (0) Not equipped/not available
- (1) No
- (2) Yes
- (3) Deployed, unknown if flap(s) opened at designated tear points
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Were Air Bag Module Cover Flap(s) Damaged?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if air bag module cover flap(s) damaged
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was There Damage To The Air Bag?

- (00) Not equipped/not available
- (01) Not damaged

Yes - Air Bag Damage

- (02) Ruptured
- (03) Cut
- (04) Torn
- (05) Holed
- (06) Burned
- (07) Abraded (88) Other damage (specify):
- ____
- (95) Damaged, details unknown
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Source of Air Bag Damage

- (00) Not equipped/not available
- (01) Not damaged
- (02) Object worn by occupant, (specify):
- (03) Object carried by occupant, (specify):
- (04) Adaptive/assistive controls, (specify):
- (05) Fire in vehicle
- (06) Thermal burns
- (07) Rescue or emergency efforts
- (88) Other damage source (specify):
- (95) Damaged, unknown source
- (96) Deployed, unknown if damaged
- (97) Not deployed
- (98) Unknown if deployed
- (99) Unknown

Was The Air Bag Tethered?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of tether straps):
- 3) Deployed, unknown if tethered
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Did The Air Bag Have Vent Ports?

- (0) Not equipped/not available
- (1) No
- (2) Yes (specify number of vent ports):
- (3) Deployed, unknown if vent ports present
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was the Air Bag in this Occupant's Position Contacted by Another Occupant?


- (0) Not equipped/not available
- (1) No
- (2) Yes (specify):
- (3) Deployed, unknown if other occupant contact to air bag
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

Was This Occupant Wearing Eye-wear?


- (0) Not equipped/not available
- (1) No
- (2) Eyeglasses/sunglasses
- (3) Contact lenses
- (4) Deployed, unknown if eyewear worn
- (7) Not deployed
- (8) Unknown if deployed
- (9) Unknown

DRIVER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON DRIVER AIR BAG (Back)



DRIVER AIR BAG SKETCHES (Cont'd)


- 3. DRIVER AIR BAG MODULE COVER FLAP SIZE (DOUBLE)
 - a. Upper Flap
- b. Lower Flap

width (W_U)


width (W_L) _____

height (H_U) _____

height (H_L) _____




4. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE




5. SKETCH OF OTHER TYPE OF AIR BAG VENT PORTS

6. SKETCH LOCATION OF CIRCULAR AIR BAG VENT PORTS




PASSENGER AIR BAG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Front)



2. SKETCH DAMAGE AND CONTACT EVIDENCE ON PASSENGER AIR BAG (Back)



PASSENGER AIR BAC	G SKETCHES (Cont'd)
3. PASSENGER AIR BAG MODULE COVER FLAP SIZE (SINGLE) a. Flap width (W) height (H) W 5. SKETCH OF OTHER TYPE OF AIR BAG MODULE FLAP AND SIZE	4. PASSENGER AIR BAG MODULE COVER FLAP SIZE (DOUBLE) a. Upper Flap width (W _U) height (H _U) Height (H _U) H, H, H, HA HA HA HA HA HA HA
7. SKETCH LOCATION OF RECTANGULAR AIR BAG VENT PORTS 10 11 12 1 2 9 3 8 7 6 5 4	

"OTHER" AIR I	AG DAMAGE AND CONTACT SKETCHES

1. SKETCH DAMAGE AND CONTACT EVIDENCE ON *OTHER	" AIR BAG (Front)
---	-------------------

2. SKETCH DAMAGE AND CONTACT EVIDENCE ON "OTHER" AIR BAG (Back)



	"OTHER" AIR BAG SKETCHES (Cont'd)
3.	SKETCH AIR BAG MODULE FLAP AND SIZE OR OPENING FOR AIRBAG
·	
	NIA
	N/A
4.	SKETCH AIR BAG VENT PORTS

HEAD RESTRAINTS/SEAT EVALUATION

NOTES: Encode the applicable data for each seat position in the vehicle. The attribute for these variables may be found at the bottom of the page. Head restraint type/damage and seat type/performance should be assessed during the vehicle inspection then coded on the Occupant Assessment Form.

		Left	Center	Right
	Head Restraint Type/Damage	3	ø	3
F	Seat Type	Ø5	ø5	Ø5- 3
Ì	Seat Performance	3	3	3
R S	Seat Orientation	1	1]
T	Seat Track Position	Ĺ	L	l
	Seat Back Incline Pre/Post Impact	ø١	ØI	ØI
	Head Restraint Type/Damage			
9	Seat Type			
S E C	Seat Performance			
0	Seat Orientation			
N D	Seat Track Position			
	Seat Back Incline Pre/Post Impact			
•	Head Restraint Type/Damage			
т	Seat Type			
Н	Seat Performance			
Ŕ	Seat Orientation			
D	Seat Track Position	·		
	Seat Back Incline Pre/Post Impact			
,	Head Restraint Type/Damage			
Ō	Seat Type			
T H	Seat Performance	-		
E R	Seat Orientation			
	Seat Track Position			
	Seat Back Incline Pre/Post Impact			

DESCRIBE ANY INDICATION OF ABNORMAL OCCUPANT POSTURE
(I.E., UNUSUAL OCCUPANT CONTACT PATTERN)

HEAD RESTRAINTS/SEAT EVALUATION

Head Restraint Type/Damage by Occupant at This Occupant Position Position)

- (0) No head restraints
- (1) Integral no damage
- (2) Integral damaged during accident
- (3) Adjustable no damage(4) Adjustable damaged during accident
- (5) Add-on no damage(6) Add-on damaged during accident
- (8) Other Specify):
- (9) Unknown

Seat Type (this Occupant Position)

- (00) Occupant not seated or no seat
- (01) Bucket
- Bucket with folding back (02)
- (03) Bench
- (04) Bench with separate back cushions
- (05)Bench with folding back(s)
- (06) Split bench with separate back cushions
- (07) Split bench with folding back(s)
- (08) Pedestal (i.e., column supported)
- (09) Other seat type (specify):
- (10) Box mounted seat (i.e., van type)
- (99) Unknown

Seat Performance (this Occupant

- (0) Occupant not seated or no seat
- (1) No seat performance failure(s) (2) Seat adjusters failed
- Seat back folding locks or "seat back" failed (specify):
- (4) Seat tracks/anchors failed
- (5) Deformed by impact of occupant
- (6) Deformed by passenger compartment intrusion (specify):
- (7) Combination of above (specify):
- (8) Other (specify):
- (9) Unknown

Seat Orientation (this Occupant Position)

- (0) Occupant not seated or no seat
- (1) Forward facing seat
- (2) Rear facing seat
- (3) Side facing seat (inward)
- (4) Side facing seat (outward)
- (8) Other (specify):
- (9) Unknown

Seat Track Adjusted Position Prior To **Impact**

- (0) Occupant not seated or no seat
- (1) Non-adjustable seat track

Adjustable Seat Track

- (2) Seat at forward most track position
- (3) Seat between forward most and middle track positions
- (4) Seat at middle track position
- (5) Seat between middle and rear most track positions
- (6) Seat at rear most track position
- (9) Unknown

Seat Back Incline Prior and Post Impact

- (00) Occupant not seated or no seat
- (O1) Not adjustable

Upright prior to impact


- (11) Moved to completely rearward position
- Moved to rearward midrange position
- (13)Moved to slightly rearward position
- Retained pre-impact position
- Moved to slightly forward (15)position
- Moved to forward midrange (16)position
- Moved to completely forward (17)position


Slightly reclined prior to impact


- (21) Moved to completely rearward position
- Moved to rearward midrange (22)position
- Retained pre-impact postion (23)
- (24)Moved to upright position
- (25)Moved to slightly forward position
- (26)Moved to forward midrange position
- Moved to completely forward (27)position

Completely reclined prior to impact

- Retained pre-impact position (31)
- (32)Moved to rearward midrange position
- Moved to slightly rearward (33)position
- (34)Moved to upright position Moved to slightly forward
- (35)position
- (36)Moved to forward midrange position
- (37)Moved to completely forward position
- (99) Unknown







Coding diagrams for Seat Back Incline Position Prior and Post Impact

1	CHILD SAFETY	SEAT FIEL	D ASS	ESSMENT		
Wh the	nen a child safety seat is present enter the occ a occupant's number using the codes listed b	upant's numb elow. Compl	er in the f ete a colu	irst row and c imn for each (omplete the co child safety sea	lumn below at present.
	cupant Number		NA			
	Type of Child					
١.	Safety Seat					
2.	Child Safety Seat Orientation					
3. 	Child Safety Seat Harness Usage					
4.	Child Safety Seat Shield Usage					
5.	Child Safety Seat Tether Usage					
6.	Child Safety Seat Make/Model	Specify B	elow for E	Each Child Sat	ety Seat	
	Type of Child Safety Seat (0) No child safety seat (1) Infant seat (2) Toddler seat (3) Convertible seat (4) Booster seat (7) Other type child safety seat (specify): (8) Unknown child safety seat type (9) Unknown if child safety seat used Child Safety Seat Orientation (00) No child safety seat Designed for Rear Facing for This Age/Weight (01) Rear facing (02) Forward facing (08) Other orientation (specify):		Child Sa Note: Op (OO) No Not Desi (O1) Afr add (O2) Afr (O3) Ch har (O9) Un add Designed (11) Ha (12) Ha	child safety signed with Hater market harded, not used ter market harded safety seat mess/shield/terness/shield	ner Usage Are Used for V seat rness/Shield/Tet rness/shield/tet tused, but no ather added ress/shield/teth rs/Shield/Tether	ether her her used after market er
	Designed for Forward Facing for This Age/Weight (11) Rear facing (12) Forward facing (18) Other orientation (specify): (19) Unknown orientation Unknown Design or Orientation For This Age/Weight, or Unknown Age/Weight (21) Rear facing (22) Forward facing (28) Other orientation (specify): (29) Unknown orientation	6.	(21) Ha (22) Ha (29) Un (99) Un Child Sa	rness/shield/te rness/shield/te known if harn known if child fety Seat Mak	ess/shield/teth	er used sed
3.	(99) Unknown if child safety seat used Child Safety Seat Harness Usage					

		EJECTION	/ENTRAPI	JENT DA	ТА		
Complete the following if the researcher has any indication that an occupant was either ejected from or entrappe in the vehicle. Code the appropriate data on the Occupant Assessment Form.							
	CTION No [] Yes cribe indications of ejection a		involved in pa	artial ejection	(s):		
		Complete	Through	Drak	Window		
		•	J				
			<u>-</u> .				
	Occupant Number	ØI					
	Ejection)					1
	(Note on Vehicle Interior Sketch) Ejection Area	2					
	Ejection Medium	4					
	Medium Status	2					
(2) Partial ejection pickup, etc.) (specify): (3) Ejection, Unknown degree (9) Unknown (9) Unknown		medium (specify): wn tus (Immediately I					
	RAPMENT No [v] Y	es []					
Comp	ponent(s):						
(Note	in vehicle interior diagram)	•					



U.S. Department of Transportation

OCCUPANT ASSESSMENT FORM

Form Approved O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

National Highway Traffic Safety Administration	NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM
1. Primary Sampling Unit Number 7 3	OCCUPANT'S SEATING
2. Case Number - Stratum 1 1 7 A	10. Occupant's Seat Position Front Seat
3. Vehicle Number	(11) Left side (12) Middle
4. Occupant Number	(13) Right side (14) Other (specify):
OCCUPANT'S CHARACTERISTICS	(15) On or in the lap of another occupant
5. Occupant's Age Code actual age at time of accident. (00) Less than one year old (specify by month): (97) 97 years and older (99) Unknown	Second Seat (21) Left side (22) Middle (23) Right side (24) Other (specify): (25) On or in the lap of another occupant
6. Occupant's Sex (1) Male (2) Female-not reported pregnant (3) Female-pregnant-1st trimester(1st-3rd month) (4) Female-pregnant-2nd trimester(4th-6th month) (5) Female-pregnant-3rd trimester(7th-9th month) (6) Female-pregnant-term unknown (9) Unknown	Third Seat (31) Left side (32) Middle (33) Right side (34) Other (specify): (35) On or in the lap of another occupant Fourth Seat (41) Left side (42) Middle (43) Right side (44) Other (specify): (45) On or in the lap of another occupant
7. Occupant's Height Code actual height to the nearest centimeter. (999) Unknown L L inches X 2.54 = 1 L 8 centimeters	(97) In or on unenclosed area (98) Other seat (specify): (99) Unknown
8. Occupant's Weight Code actual weight to the nearest kilogram. (999)Unknown 1 6 0 pounds X .4536 = 7 3 kilograms	11. Occupant's Posture (0) Normal posture Abnormal posture (1) Kneeling or standing on seat (2) Lying on or across seat (3) Kneeling or standing on similar in feat of actions.
9. Occupant's Role (1) Driver (2) Passenger (9) Unknown	 (3) Kneeling, standing or sitting in front of seat (4) Sitting sideways or turned to talk with another occupant or to look out a rear window (5) Sitting on a console (6) Lying back in a reclined seat position (7) Bracing with feet or hands on a surface in front of seat (8) Other abnormal posture (specify): (9) Unknown

EJEC	TION/E	NTRAPMENT
12. Ejection (0) No ejection (1) Complete ejection (2) Partial ejection (3) Ejection, unknown degree (9) Unknown		15. Medium Status (Immediately Prior To Impact) 2 (0) No ejection (1) Open (2) Closed (3) Integral structure (9) Unknown
13. Ejection Area (0) No ejection (1) Windshield (2) Left front (3) Right front (4) Left rear (5) Right rear (6) Rear (7) Roof (8) Other area (e.g., back of pickup, etc.) (specify): (9) Unknown 14. Ejection Medium (0) No ejection (1) Door/hatch/tailgate (2) Nonfixed roof structure (3) Fixed glazing (4) Nonfixed glazing (specify): Driver window (5) Integral structure (8) Other medium (specify): (9) Unknown		16. Entrapment (0) Not entrapped/exit not inhibited (1) Entrapped/pinned - mechanically restrained (2) Could not exit vehicle due to jammed doors, fire, etc. (specify): (9) Unknown 17. Occupant Mobility (0) Occupant fatal before removed from vehicle (1) Removed from vehicle while unconscious or disoriented (2) Removed from vehicle due to injuries (3) Exited vehicle with some assistance (4) Exited vehicle under own power (5) Occupant fully ejected (9) Unknown


	BELT SYSTEM FUNCTION					
18.	Manual (Active) Belt System Availability (0) None available (1) Belt removed/destroyed (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt available—type unknown Integral Belt Partially Destroyed (6) Shoulder belt (lap belt destroyed/removed) (7) Lap belt (shoulder belt destroyed/removed)	22. Shoulder Belt Upper Anchorage Adjustment (0) No shoulder belt (1) No upper anchorage adjustment for shoulder belt Adjustable shoulder Belt Upper Anchorage (2) In full up position (3) In mid position (4) In full down position (5) Position unknown (9) Unknown if position has adjustable upper anchorage adjustment				
19.	(8) Other belt (specify): (9) Unknown Manual (Active) Belt System Use (00) None used, not available, or belt removed/destroyed (01) Inoperative (specify):	23. Automatic (Passive) Belt System Availability/ Function (0) Not equipped/not available (1) 2 point automatic belts (2) 3 point automatic belts (3) Automatic belts - type unknown Non-functional (4) Automatic belts destroyed or rendered				
	 (02) Shoulder belt (03) Lap belt (04) Lap and shoulder belt (05) Belt used—type unknown (08) Other belt used (specify): (12) Shoulder belt used with child safety seat (13) Lap belt used with child safety seat (14) Lap and shoulder belt used with child safety seat (15) Belt used with child safety seat—type unknown (18) Other belt used with child safety seat (specify): (99) Unknown if belt used 	inoperative (9) Unknown 24. Automatic (Passive) Belt System Use (0) Not equipped/not available/destroyed or rendered inoperative (1) Automatic belt in use (2) Automatic belt not in use (manually disconnected, motorized track inoperative) (specify): (3) Automatic belt use unknown (9) Unknown 25. Automatic (Passive) Belt System Type (0) Not equipped/not available (1) Non-motorized system				
20.	Proper Use of Manual (Active) Belts (0) None used or not available (1) Belt used properly (2) Belt used properly with child safety seat Belt Used Improperly (3) Shoulder belt worn under arm (4) Shoulder belt worn behind back or seat (5) Belt worn around more than one person (6) Lap belt worn on abdomen (7) Lap belt or lap and shoulder belt used improperly with child safety seat (specify): (8) Other improper use of manual belt system (specify):	(2) Motorized system (9) Unknown 26. Proper Use of Automatic (Passive) Belt System (0) Not equipped/not available/not used (1) Automatic belt used properly (2) Automatic belt used properly with child safety seat Automatic Belt Used Improperly (3) Automatic shoulder belt worn under arm (4) Automatic shoulder belt worn behind back (5) Automatic belt worn around more than one person (6) Lap portion of automatic belt worn on abdomen (7) Automatic lap and shoulder belt or automatic shoulder belt used improperly				
21.	Manual (Active) Belt Failure Modes During Accident (0) No manual belt used or not available (1) No manual belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor (7) Combination of above (specify): (8) Other manual belt failure (specify):	with child safety seat (specify): (8) Other improper use of automatic belt system (specify): (9) Unknown 27. Automatic (Passive) Belt Failure Modes During Accident (0) Not equipped/not available/not in use (1) No automatic belt failure(s) (2) Torn webbing (stretched webbing not included) (3) Broken buckle or latchplate (4) Upper anchorage separated (5) Other anchorage separated (specify): (6) Broken retractor (7) Combination of above (specify): (8) Other automatic belt failure (specify):				


POLICE REPORTED RESTRAINT USE	AIR BAG SYSTEM FUNCTION
28. Police Reported Belt Use (0) None used (1) Police did not indicate belt use (2) Shoulder belt (3) Lap belt (4) Lap and shoulder belt (5) Belt used, type not specified (6) Child safety seat (7) Automatic belt (8) Other type belt, (specify):	30. Frontal Air Bag System Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown
(9) Police indicated "unknown" 29. Police Reported Air Bag Availability/Function (0) No air bag available (1) Police did not indicate air bag availability/function (2) Deployed (3) Not deployed (4) Unknown if deployed (9) Police indicated "unknown"	31. Frontal Air Bag System Deployment (This Occupant Position) (0) Not equipped/not available (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown
Check the Primary Source Used In Determining Belt Use. [] Not equipped/not available/destroyed or rendered inoperative [] Vehicle inspection [] Official injury data [] Driver/occupant interview [] Other (specify): [] Unknown if belt used	32. Other Than First Seat Frontal Air Bag Availability/Function (This Occupant Position) (0) Not equipped/not available (1) Air bag Non-functional (2) Air bag disconnected (specify): (3) Air bag not reinstalled (9) Unknown Specify type of "other" air bag present:
	 33. Air Bag(s) Deployment, Other Than First Seat Frontal (This Occupant Position) (0) Not equipped with an "other" air bag (1) Deployed during accident (as a result of impact) (2) Deployed inadvertently just prior to accident (3) Deployed, details unknown (4) Deployed as a result of a noncollision event during accident sequence (e.g., fire, explosion, electrical) (5) Unknown if deployed (7) Nondeployed (9) Unknown
	34. Are There Indications of Air Bag System Failure? (This Occupant Position) (0) Not equipped/not available (1) No (2) Yes (specify):


	FIRST SEAT FRONTAL AIR E	BAG SYSTEM EVALUATION
35.	Had Vehicle Been in Previous Accident(s)? (0) Not equipped/not available (1) No previous accidents Yes (2) Previous accident(s) without deployment(s) (3) One previous accident with deployment (4) More than one previous accident with at least one deployment (8) Previous accidents, unknown deployment status (9) Unknown	40. Longitudinal Component of Delta V For Air Bag Deployment Impact (_000) Not equipped/not available Code the value of the delta V for the impact that initiated the air bag deployment (_996) Deployment, unknown longitudinal Delta V (_997) Not deployed (_998) Unknown if deployed (_999) Unknown
36.	Type of Air Bag (0) Not equipped/not available (1) Original manufacturer installed system (2) Retrofitted air bag (3) Replacement air bag (8) Unknown type of air bag (9) Unknown	41. Did Air Bag Module Cover Flap(s) Open At Designated Tear Points? (0) Not equipped/not available (1) No (2) Yes (3) Deployed, unknown if flap(s) opened at designated tear points (7) Not deployed (8) Unknown if deployed
37.	Had Any Prior Maintenance/Service Been Performed On This Air Bag System? (0) Not equipped/not available (1) No prior maintenance (2) Yes, prior maintenance (specify): (9) Unknown	(9) Unknown 42. Were Air Bag Module Cover Flap(s) Damaged? (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if air bag module cover flap(s) damaged (7) Not deployed
38.	Air Bag Deployment Accident Event Sequence Number (00) Not equipped/not available Code the accident event sequence number that initiated the air bag deployment (96) Deployed, unknown event (97) Not deployed (98) Unknown if deployed (99) Unknown	(7) Not deployed (8) Unknown if deployed (9) Unknown 43. Was There Damage To The Air Bag? (00) Not equipped/not available (01) Not damaged Yes - Air Bag Damage (02) Ruptured (03) Cut (04) Torn
39.	CDC For Air Bag Deployment Impact (0) Not equipped/not available (1) Highest delta V (2) Second highest delta V (3) Other non-coded delta V (specify): (6) Deployed, unknown event (7) Not deployed (8) Unknown if deployed (9) Unknown	(05) Holed (06) Burned (07) Abraded (88) Other damage (specify): (95) Damaged, details unknown (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown

T. Serve of	FIRST SEAT FRONTAL AIR BAG SYSTEM EVALUATION continued	HEAD RESTRAINT AND SEAT EVALUATION
44.	Source of Air Bag Damage (00) Not equipped/not available (01) Not damaged (02) Object worn by occupant, (specify): (03) Object carried by occupant, (specify): (04) Adaptive/assistive controls, (specify): (05) Fire in vehicle (06) Thermal burns (07) Rescue or emergency efforts	49. Head Restraint Type/Damage by Occupant at This Occupant Position (0) No head restraints (1) Integral—no damage (2) Integral—damaged during accident (3) Adjustable—no damage (4) Adjustable—damaged during accident (5) Add-on—no damage (6) Add-on—damaged during accident (8) Other (specify):
	(88) Other damage source (specify): (95) Damaged, unknown source (96) Deployed, unknown if damaged (97) Not deployed (98) Unknown if deployed (99) Unknown	50. Seat Type (this Occupant Position) (00) Occupant not seated or no seat (01) Bucket (02) Bucket with folding back (03) Bench (04) Bench with separate back cushions (05) Bench with folding back(s) (06) Split bench with separate back cushions
45.	Was The Air Bag Tethered? (0) Not equipped/not available (1) No (2) Yes (specify number of tether straps): 2 (3) Deployed, unknown if tethered (7) Not deployed (8) Unknown if deployed (9) Unknown	(07) Split bench with folding back(s) (08) Pedestal (i.e., column supported) (09) Box mounted seat (i.e., van type) (10) Other seat type (specify): (99) Unknown 51. Seat Orientation (this Occupant Position) (0) Occupant not seated or no seat
46.	Did The Air Bag Have Vent Ports? (O) Not equipped/not available (1) No (2) Yes (specify number of vent ports): 2 (3) Deployed, unknown if vent ports present (7) Not deployed (8) Unknown if deployed (9) Unknown	(1) Forward facing seat (2) Rear facing seat (3) Side facing seat (inward) (4) Side facing seat (outward) (8) Other (specify): (9) Unknown 52. Seat Track Adjusted Position Prior To Impact (0) Occupant not seated or no seat
47.	Was the Air Bag in this Occupant's Position Contacted by Another Occupant? (0) Not equipped/not available (1) No (2) Yes (specify): (3) Deployed, unknown if other occupant contact to air bag (7) Not deployed (8) Unknown if deployed (9) Unknown	 (1) Non-adjustable seat track Adjustable Seat Track (2) Seat at forward most track position (3) Seat between forward most and middle track positions (4) Seat at middle track position (5) Seat between middle and rear most track positions (6) Seat at rear most track position (9) Unknown
48.	Was This Occupant Wearing Eye-wear? (0) Not equipped/not available (1) No (2) Eyeglasses/sunglasses (3) Contact lenses (4) Deployed, unknown if eyewear worn (7) Not deployed (8) Unknown if deployed (9) Unknown	

	HEAD RESTRAINT AND SEA	AT EVALUATION COMM.
53.	Seat Back Incline Prior and Post Impact (00) Occupant not seated or no seat (01) Not adjustable	
	Upright prior to impact (11) Moved to completely rearward position (12) Moved to rearward midrange position (13) Moved to slightly rearward position (14) Retained pre-impact position (15) Moved to slightly forward position (16) Moved to forward midrange position (17) Moved to completely forward position	17
	Slightly reclined prior to impact (21) Moved to completely rearward position (22) Moved to rearward midrange position (23) Retained pre-impact position (24) Moved to upright position (25) Moved to slightly forward position (26) Moved to forward midrange position (27) Moved to completely forward position	25 26 27
-	Completely reclined prior to impact (31) Retained pre-impact position (32) Moved to rearward midrange position (33) Moved to slightly rearward position (34) Moved to upright position (35) Moved to slightly forward position (36) Moved to forward midrange position (37) Moved to completely forward position (99) Unknown	35 36 37
54.	Seat Performance (this Occupant Position) (0) Occupant not seated or no seat (1) No seat performance failure(s) (2) Seat adjusters failed (3) Seat back folding locks or "seat back" failed (specify): Seat back of personned (4) Seat track/anchors failed (5) Deformed by impact of occupant (6) Deformed by passenger compartment intrusion, (specify):	
	(7) Combination of above (specify): (8) Other (specify):	







	CHILD SA	FETY SEAT
55.	Child Safety Seat Make/Model (000) No child safety seat Applicable codes are found in your NASS CDS Data Collection, Coding and Editing	58. Child Safety Seat Harness Usage
	(950) Built-in child safety seat (997) Other make/model (specify):	60. Child Safety Seat Tether Usage
	(998) Unknown make/model (999) Unknown if child safety seat used	Note: Options below applicable to Variables OA58-OA60. (00) No child safety seat
56.	Type of Child Safety Seat	(co, no onine cares, com
	(0) No child safety seat (1) Infant seat (2) Toddler seat	Not Designed With Harness/Shield/Tether (01) After market harness/shield/tether added, not used
	(3) Convertible seat	(O2) After market harness/shield/tether used
	(4) Booster seat - with shield	(03) Child safety seat used, but no after market
	(5) Booster seat - without shield	harness/shield/tether added
	(7) Other type child safety seat (specify):	(09) Unknown if harness/shield/tether added or used
	(8) Unknown child safety seat type	Designed With Harness/Shield/Tether
	(9) Unknown if child safety seat used	(11) Harness/shield/tether not used
		(12) Harness/shield/tether used
57.	Child Safety Seat Orientation	(19) Unknown if harness/shield/tether used
• • •	(00) No child safety seat	
	,,	Unknown If Designed With Harness/Shield/Tether
	Designed for Rear Facing for This Age/Weight	(21) Harness/shield/tether not used
	(O1) Rear facing	(22) Harness/shield/tether used
	(02) Forward facing	(29) Unknown if harness/shield/tether used
	(08) Other orientation (specify):	(99) Unknown if child safety seat used
	(09) Unknown orientation	
	Designed For Forward Facing for This Age/Weight	
	(11) Rear facing	
	(12) Forward facing	
	(18) Other orientation (specify):	
	(19) Unknown orientation	
	Unknown Design or Orientation For This	
	Age/Weight, or Unknown Age/Weight	
	(21) Rear facing	
	(22) Forward facing	
	(28) Other orientation (specify):	
	(29) Unknown orientation	
	(99) Unknown if child safety seat used	

INJURY CONSEQUENCES	
61. Injury Severity (Police Rating) (0) O - No injury (1) C - Possible injury (2) B - Nonincapacitating injury (3) A - Incapacitating injury (4) K - Killed (5) U - Injury, severity unknown (6) Died prior to accident (9) Unknown	63. Type Of Medical Facility (for Initial Treatment) (0) Not treated at a medical facility (1) Trauma center (2) Hospital (3) Medical clinic (4) Physician's office (5) Treatment later at medical facility (8) Other (specify):
62. Treatment - Mortality (0) No treatment (1) Fatal (2) Fatal - ruled disease (specify):	64. Hospital Stay (00) Not Hospitalized Code the number of days (up through 60) that the occupant stayed in hospital. (61) 61 days or more (99) Unknown
Nonfatal (3) Hospitalization (4) Transported and released (5) Treatment at scene - nontransported (6) Treatment later (7) Treatment - other (specify):	65. Working Days Lost Code the number of days (up through 60) that the occupant lost from work due to the accident (00) No working days lost (61) 61 days or more (62) Fatally injured (97) Not working prior to accident (99) Unknown
STOP W	ORK HERE

VARIABLES 66-74

TO BE CODED BY THE ZONE CENTER

TO BE CODED BY THE ZONE CENTER

INJURY CONSEQUENCES	TRAUMA DATA
Code number of hours from time of accident to time of death up through 24 hours. If time of death is greater than 24 hours, code number of days. (Note: 1 day = 31, 2 days = 32, n days = 30 + n up through 30 days = 60) (00) Not fatal (96) Fatal - ruled disease (99) Unknown	71. Glasgow Coma Scale (GCS) Score (at Medical Facility) (00) Not injured (01) Injured - not treated at medical facility (02) No GCS Score at medical facility (03-15) Code the actual value of the initial GCS Score recorded at medical facility. (97) Injured, details unknown (99) Unknown if injured
67. 1st Medically Reported Cause of Death	72. Was the Occupant Given Blood? (1) No - blood not given (2) Yes - blood given
68. 2nd Medically Reported Cause of Death 0	(specify units): (9) Unknown if blood given
69. 3rd Medically Reported Cause of Death Code the Occupant Injury from line number(s) for the medically reported injury(s) which reportedly contributed to this occupant's death (00) Not fatal or no additional causes (96) Mode of death given but specific injuries are not linked to cause of death. (specify): (97) Other result (includes fatal ruled	73. Arterial Blood Gases (ABG) – HCO ₃ (00) Not injured (01) Injured, ABGs not measured or reported (02-50) Code the actual value of the HCO ₃ (96) ABGs reported, HCO ₃ unknown (97) Injured, details unknown (99) Unknown if injured
disease) (specify):	BELT USE DETERMINATION
70. Number of Recorded Injuries for This Occupant Code the actual number of injuries recorded for this occupant. (00) No recorded injuries (97) Injured, details unknown (99) Unknown if injured	74. Primary Source of Belt Use Determination (0) Not equipped/not available/destroyed or rendered inoperative (1) Vehicle inspection (2) Official injury data (3) Driver/occupant interview (8) Other (specify): (9) Unknown if belt used

U.S. Department of Transportation National Highway Traffic Safety

OCCUPANT INJURY FORM

Form Approved
O.M.B. No. 2127-0021

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

1. Primary Sampling Unit Number

2. Case Number - Stratum

2. Case Number - Stratum

3. Vehicle Number

4. Occupant Number

INJURY DATA

Record below the actual injuries sustained by this occupant that were identified from the official and unofficial data sources. Remember not to double count an injury just because it was identified from two different sources. If greater than ten injuries have been documented, encode the balance on the Occupant Injury Supplement.

				A.I.S 9	90				Injury		Occupant
	Source of Injury Data		Type of Anatomic Structure	Specific Anatomic	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Source Confidence Level	Direct/ Indirect Injury	Area Intrusion Number
1s	t 5. <u> </u>	6.4	7.4	8. 14	9. <u>/ 0</u>	10. 4	11. <u>3</u> 12.	051	13. 2 1	4	15. <u>O</u>
2n	nd 16	17	18.4	19. <u>06</u>	20. 46	21.5	22. <u> </u>	55/	24. 2	25	26. <i>OD</i>
3r	d 27	28	29. 🔟	30. <u>6</u>	31. <u>5</u> 4	_{32.} <u>5</u>	33. 34	551	35. 2	36	37. <u>00</u>
41	h 38	39.	40.4	41.02	-42. <u>29</u>	43. 6	44. 6 45	.551	46.2	47. <u> </u>	48. <u>60</u>
5t	h 49. 1	50.6	51.5	52. 0 2	·53.32	54.2	55. 6 56	551	57. <u> S</u>	58. <u>/</u>	59. <i>OO</i>
6t	h 60	61.	625	63. <u>D</u> 2	64.32	65	66. 67	551	68. <u>3</u>	69. 	70. <i>O</i> O
7t	h 71. <u> </u>	72. /	73.5	74. <u>[8</u>	75./4	76. <u>3</u>	77. 🕇 78	000	79.2	во. <u>/</u>	81. <u>6</u> &
81	th 82	83. 2	r _{84.} $\widehat{\mathcal{G}}$	85. <u>DJ</u>	86. <u>0</u> 2	−87.	88 89	170	90. 2	91	92. <u>00</u>
91	th 93	94. 2	95.9	96.02	97.DJ	98. 1	99. 2100	55,	101.21	02	03. <u>00</u>
10	oth 104.	105.	106 1	07. DJ	108. <u>Q</u>	709. <u> </u>	110111	170	112.2	13. 1	14. 🔯

				occu	PANT I	NJURY	DATA				
	Source of Injury Data	Body Region	Type of Anatomic Structure	A.I.S 90 Specific Anatomic Structure	Level of Injury	A.I.S. Severity	Aspect	Injury Source	Injury Source Confidence Level	Direct/ Indirect Injury	Occupant Area Intrusion Number
11th		3	G	02	02	1	2	551	2	1	00
12th	<u>_</u>	4	9	02	02	<u>L</u>	2	<u>55</u> 1	2	1	00
13th	1	4	9	04	02	_	Z	551	2		00
14th	1	3	9	04	02		2	<u>551</u>	2	1	<u>00</u>
15th	L	7	9	06	02	L	2	051	2	1	00
16th	<u> </u>	5	9	02	0 2			006	2	L	08
17th	1	5	9	04	02	\mathcal{L}	L	006	2	1	08
18th	1	8	9	04	02	儿	1	007	2		08
19th										este de la companya d	
20th										***************************************	
21st	_										
22nd			,				 ,	:	·		
23rd											
24th			· <u></u>		· · · · · · · · · · · · · · · · · · ·	· 	-				
25th											

<u>Spine</u>


(02) Cervical (04) Thoracic (06) Lumbar

OCCUPANT INJURY CLASSIFICATION **Aspect** Level of Injury Specific Anatomic **Body Region** Structure Right (1)Specific injuries are Head assigned consecutive (2)Left **Face** (2)Bilateral (3)two-digit numbers Vessels, Nerves, Organs. (3) Neck Central beginning with 02. (4)Bones, Joints are assigned **Thorax** (4)Anterior (5)consecutive two digit (5)Abdomen **Posterior** (6)To the extent possible, numbers beginning with (6)Spine (7)Superior within the organizational **Upper Extremity** 02. (7)Inferior framework of the AIS, 00 (8) **Lower Extremity** (8) Unknown (9) is assigned to an injury The exceptions to this rule (9) Unspecified (0) Whole region NFS as to severity or apply to: where only one injury is given in the dictionary for Type of Anatomic Whole Area (02) Skin - Abrasion that anatomic structure. Structure (04) Skin - Contusion 99 is assigned to any injury NFS as to lesion or (06) Skin - Laceration Whole Area (1)severity. (08) Skin - Avulsion Vessels (2)(10) Amputation (3) Nerves Abbreviated Injury Scale (20) Burn Organs (includes (4)(30)Crush Muscles/ligaments) Minor Injury (1)Skeletal (includes (40)Degloving (5)(2) Moderate Injury Injury - NFS joints) (50) (3) Serious Injury Trauma, other than Head - LOC (90) (6)Severe Injury (4)mechanical (9) Skin (5) Critical Injury Maximum (6)Head - LOC (untreatable) (02) Length of LOC (7)Injured, unknown (04) Level severity (06) of (08) Consciousness (10) Concussion

SOURCE OF INJURY DATA	INJURY SOURCE	DIRECT/INDIRECT INJURY
	CONFIDENCE LEVEL	
OFFICIAL RECORDS (1) Autopsy records with or without hospital/medical records (2) Hospital/medical records other than emergency room (e.g., discharge summary) (3) Emergency room records only (including associated X-rays or other lab reports) (4) Private physician, walk-in or emergency clinic	(1) Certain(2) Probable(3) Possible(9) Unknown	(1) Direct contact injury (2) Indirect contact injury (3) Noncontact injury (7) Injured, unknown source
UNOFFICIAL RECORDS (5) Lay coroner report (6) E.M.S. personnel (7) Interviewee (8) Other source (specify):		

FRONT		(102)	Right side hardware or	(183)	Air bag-passenger side and	(411)	Wall mounted head rest
(001)	Windshield		armrest		object held		(used behind wheel chair)
002)	Mirror	(103)	Right A (A1/A2)-pillar	(184)	Air bag-passenger side and	(412)	Other adaptive device
003)	Sunvisor	(104)	Right B-pillar		object in mouth		(specify):
004)	Steering wheel rim	(105)	Other right pillar (specify):	(185)	Air bag compartment		
005)	Steering wheel hub/spoke				cover-passenger side		
006)	Steering wheel (combination	(106)	Right side window glass	(186).	Air bag compartment		RIOR of OCCUPANT'S
	of codes 004 and 005)	(107)	Right side window frame		cover-passenger side and	VEHIC	
007)	Steering column,	(108)	Right side window sill		eyewear	(451)	
	transmission selector lever,	- (109)	Right side window glass	(187)	Air bag compartment	(452)	Outside hardware (e.g.,
	other attachment		including one or more of the		cover-passenger side and		outside mirror, antenna)
(800	Cellular telephone or CB		following: frame, window		jewelry	(453)	Other exterior surface or
	radio		sill, A (A1/A2)-pillar, B-pillar,	(188)	Air bag compartment		tires (specify):
009)	Add on equipment (e.g.,		or roof side rail.		cover-passenger side and		
	tape deck, air conditioner)	(110)	Other right side object		object held		
010)	Left instrument panel and below		(specify):	(189)	Air bag compartment cover-passenger side and		Unknown exterior objects
011)	Center instrument panel and				object in mouth		RIOR OF OTHER MOTOR
	below	INTER		(190)	Other air bag (specify)	VEHIC	
(012)	Right instrument panel and		Seat, back support				Front bumper
	below	(152)	Belt restraint	(195)	Other air bag compartment		Hood edge
	Glove compartment door		webbing/buckle		cover (specify)	(503)	Other front of vehicle
(014)	Knee bolster	(153)	Belt restraint B-pillar or door				(specify):
(015)	Windshield including one or		frame attachment point				
	more of the following: front	(154)	Other restraint system	ROOF			Hood
	header, A (A1/A2)-pillar,		component (specify):	,,	Front header		Hood ornament
	instrument panel, mirror, or			••	Rear header		Windshield, roof rail, A-pilla
	steering assembly (driver		Head restraint system		Roof left side rail		Side surface
	side only)	(160)	Other occupants (specify):		Roof right side rail		Side mirrors
016)	Windshield including one or			(205)	Roof or convertible top	(509)	Other side protrusions
	more of the following: front		Interior loose objects	FI 001	-		(specify):
	header, A (A1/A2)-pillar,	(162)	Child safety seat (specify):	FLOOI		(E10)	Garage San Control
	instrument panel, or mirror				Floor (including toe pan)		Rear surface
	(passenger side only)	(163)	Other interior object	(252)	Floor or console mounted		Undercarriage Tires and wheels
(017)	Windshield reinforced by		(specify):		transmission lever, including		Other exterior of other
	exterior object (specify)			/2521	Consolé	(513)	
(010)	Osh - draw shippy (AIR B	A. C.		Parking brake handle		motor vehicle (specify):
(019)	Other front object (specify):		Air bag-driver side	(254)	Foot controls including		
			•		parking brake	(514)	Unknown exterior of other
LEFT S	PIDE	(171)	Air bag-driver side and	REAR		(014)	motor vehicle
		(172)	eyewear Air bas driver side and		Backlight (rear window)		motor vernere
(051)	Left side interior surface,	(1/2)	Air bag-driver side and		Backlight storage rack,	OTHE	R VEHICLE OR OBJECT IN
	excluding hardware or	(172)	jewelry	(302)	-		NVIRONMENT
(OE 2)	armrests	(1/3)	Air bag-driver side and	(303)	door, etc. Other rear object (specify):		Ground
(002)	Left side hardware or armrest	(174)	object held Air bag-driver side and	(303)	Saler real object (specify):		Other vehicle or object
(DE3)	Left A (A1/A2)-pillar	(1/4)	object in mouth			,550)	(specify):
	Left B-pillar	(175)	Air bag compartment	ADAP	PTIVE (ASSISTIVE) DRIVING		,
	Other left pillar (specify):	(173)	cover-driver side		PMENT	(599)	Unknown vehicle or object
,555,	= io.: pino. (opoony)	(176)	Air bag compartment		Hand controls for		
(056)	Left side window glass	, . , . ,	cover-driver side and	(-01)	braking/acceleration	NONC	CONTACT INJURY
	Left side window grass		eyewear	(402)	Steering control devices		Fire in vehicle
	Left side window sill	(177)	Air bag compartment	, ,,,,,,,	(attached to OEM steering		Flying glass
	Left side window glass		cover-driver side and jewelry		wheel)		Other noncontact injury
,5551	including one or more of the	(178)	Air bag compartment	(403)	Steering knob attached to		source
	following: frame, window	, ,	cover-driver side and object		steering wheel		(specify):
	sill, A (A1/A2)-pillar, B-pillar,		heid	(405)	Replacement steering wheel	(604)	Air bag exhaust gases
	ami to restant bount ochungs	(179)	Air bag compartment	, ,	(i.e., reduced diameter)		Injured, unknown source
	or roof side rail	, , , , , ,	cover-driver side and object	(406)	Joy stick steering controls	,30.,	
(OSO)	or roof side rail.		COTO: GITTO SIGO STIG UDIOCI		Wheelchair tie-downs		
(060)	Other left side object				AATTODICTION FIG. CO. MILZ		
(060)		(190	in mouth		Modification to see helts		
(060)	Other left side object		in mouth Air bag-passenger side		Modification to seat belts,		
	Other left side object (specify):		in mouth Air bag-passenger side Air bag-passenger side and	(408)	(specify):		
RIGHT	Other left side object (specify):	(181)	in mouth Air bag-passenger side Air bag-passenger side and eyewear	(408)	(specify):		
RIGHT	Other left side object (specify):	(181)	in mouth Air bag-passenger side Air bag-passenger side and	(408)	(specify):		


Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



			e de la composición del composición de la composición del composición de la composic				
		OFFICI	AL INJURY D	ATA — SKELETA	L INJURIES		
						+ 1	
Restrained?						ll dofici	tal and
No	Indicate the Location Source of all injuries unavailable.)	, Specific Anatomic St indicated by official so	ructure, Detail (size ources (or from PAR	, depth, fracture type, he or other unofficial source	ad injury clinical signs es if medical records a	and neurological defici nd interviewee data are	ts), and
Yes							
Blood Alcohol Level (mg/dl)		ර්රුම්ව				Craniqce	rvica
BAL = 24b Cocaine				dislocation transection		hyperm	obile und
Glasgow Coma Scale Score GCSS =			(dislocation transection cervical verte contraction spinal cord		Cranioce Junction hyperm gro avulsion Ca Ca	2 fx 5
Units of Blood				ground		And a root	md
Given Units =							
Arterial Blood Gases pH =							
PO ₂ =	Ix proximal						
PCO ₂	Instrument				Color		
HCO ₃ /	panel						
•							
		. MM					
					and the first of the second second second		

OFFICIAL INJURY DATA - INTERNAL INJURIES

Indicate the Location, Specific Anatomic Structure, Detail (size, depth, fracture type, head injury clinical signs and neurological deficits), and Source of all injuries indicated by official sources (or from PAR or other unofficial sources if medical records and interviewee data are unavailable.)



National Accident Sampling System-Crashworthiness Data System: CRASHPC Program Summary

FRICTION I	NFORMATION	TRAJECTOR	Y INFORMATION
	45	Trajectory Data []	No [] Yes
Coefficient of Friction Rolling Resistance Option	,	If No, Go To Damage	Information
Holling Resistance Option		Vehicle 1 Steer Angle	S
Vehicle 1 Rolling Re	sistance	LF	
LF	$\frac{0}{3} \frac{RF}{S} = \frac{0}{3} \frac{3}{5}$	LR	
LR	$\frac{3}{5}$ RR $\frac{3}{5}$		
		Vehicle 2 Steer Angle	
Vehicle 2 Rolling Re		LF	° RF °
	RF	LR	° RR °
LR ·	RR	195 for the Section 15 (1984) and the	
		Terrain Boundary] No. [] Yes
		First Daint	
		First Point X m	Y m
			· · · · ''''
,		Second Point	V m
			Y m
		Secondary Coefficient	t of Friction
	DAMAGE IN	IFORMATION	
VE	HICLE 1	V	EHICLE 2
	_		
Damage Length	L <u> 8 5</u> cm	Damage Length	L cm
Crush Depths	C, <u>99</u> cm	Crush Depths	C, cm
Crush Depths	$C_2 = 38 \text{ cm}$		C ₂ cm
	C ₃ 2 4 cm		C ₃ cm
	C ₄		C ₄ cm
	C ₅		C ₅ cm
	C ₆ <u>2</u> cm		C ₆ cm
	_ ± , , 9	D 0//	D + cm
Damage Offset	D 👌 ø 6 9 cm	Damage Offset	D cm
IF THIS COMMON IMP	PACT WAS WITH A MOTOR VEHICL	E NOT IN TRANSPORT, FILL	IN THE INFORMATION BELOW.
Model Year:		The Weight, CDC, Scen	e Data and Damage Information
		for this vehicle should I	
Model:			
Model:			
Model:		cle damage sketch and din	nensions to the Form.

FRICTION I	NFORMATION	TRAJECTOR	RY INFORMATIO	N
Coefficient of Friction	. 45	Trajectory Data [] No [] Yes	
Rolling Resistance Option	,	If No, Go To Damage		
Troining Productarios Optic		Vahiola 1 Stear Angle		
Vehicle 1 Rolling Re	esistance _	Vehicle 1 Steer Angle	° RF	0
LF 1.6	RF . 0 3	LR		
LR	$\frac{2}{3} \frac{RF}{S} = \frac{0.3}{3} \frac{3}{S}$			
		Vehicle 2 Steer Angle	es	
Vehicle 2 Rolling Re	esistance	LF		o
LF	RF	LR		
LR	RR			
		Terrain Boundary [] No [] Yes	
		First Point		
		X m	Y	_ · m
		Second Point		
		Xm	Y	_ · m
		Secondary Coefficien	t of Friction	
	DAMAGE	NFORMATION		
	DAMAGE	VI ONIVIATION		
VE	HICLE 1	V	EHICLE 2	
Damage Length	L <u>185</u> cm	Damage Length	L	cm
Crush Depths	C ₁	Crush Depths	C,	cm
·	C ₂ 3 8 cm	·	C ₂	
	$C_3 \underline{24} cm$		C ₃	cm
	C ₄ 1 6 cm		C ₄	cm
	C ₅ cm		C ₅	cm
	C ₆ <u>2</u> cm		C ₆	cm
Damage Offset	D 👌 🙍 6 9 cm	Damaga Office	D +	
Damage Onset	D (5) <u>v</u> <u>v</u> <u>r</u> cm	Damage Offset	υ –	cm
IF THIS COMMON IMPA	ACT WAS WITH A MOTOR VEHIC	E NOT IN TRANSPORT, FILL	IN THE INFORMATION	BELOW.
Model Year:		The Weight, CDC, Scen	e Data and Damage In	
Model Year:			e Data and Damage In	
Model Year: Make: Model:		The Weight, CDC, Scen	e Data and Damage In	
Model Year: Make: Model:		The Weight, CDC, Scen	e Data and Damage In	
Model Year: Make: Model: VIN:		The Weight, CDC, Scenfor this vehicle should b	e Data and Damage In pe recorded above.	

SUMMARY OF CRASHPC RESULTS USING DAMAGE

P73 CASE 117A DAMAGE ONLY RUN 1ST EVENT

SPEED CHANGE (DAMAGE)

VEHICLE #1

TOTAL 36 KPH (22 MPH)

LONGITUDINAL -36 KPH (-22 MPH)

LATITUDINAL O KPH (O MPH)

PDOF ANGLE O DEGREES

ENERGY DISSIPATED = 143146 JOULES (105565 FT-LB)

VEHICLE #2

TOTAL O KPH (O MPH)

LONGITUDINAL O KPH (O MPH)

LATITUDINAL O KPH (O MPH)

PDOF ANGLE O DEGREES
ENERGY DISSIPATED = O JOULES (O FT-LB)

DAMAGE DATA

VEHICLE #1


VEHICLE #2

SIZE CATEGORY STIFFNESS CATEGORY	7 7	11 O
VEHICLE WEIGHT	1857 KGS (4094 LBS)	***** KGS (2204586 LBS) *
CDC	12FLEW9	BARRIER
PDOF ANGLE	o DEGREES	O DEGREES *
CRUSH LENGTH	185 CM. (73 IN.)	O CM. (O IN.) *
C1	99 CM. (39 IN.)	0 CM. (0 IN.) *
ca	38 CM. (15 IN.)	0 CM. (0 IN.) *
C3	24 CM. (9 IN.)	O CM. (O IN.) *
C4	16 CM. (6 IN.)	O CM. (O IN.) *
C5	6 CM. (2 IN.)	0 CM. (0 IN.) *
C6	2 CM. (1 IN.)	0 CM. (0 IN.) *
D	-69 CM. (-27 IN.)	0 CM. (0 IN.) *
D.	-112 CM. (-44 IN.)	0 CM. (0 IN.) *

(* INDICATES DEFAULT VALUE)

DIMENSIONS AND INERTIAL PROPERTIES

	VEHICLE #1	VEHICLE #2
CG TO FRONT AXLE CG TO REAR AXLE TRACK CG TO FRONT OF VEH CG TO REAR OF VEH CG TO SIDE OF VEH MOMENT OF INERTIA	123 CM. (49 IN.) 174 CM. (69 IN.) 172 CM. (68 IN.) 192 CM. (76 IN.) -272 CM. (-107 IN.) 100 CM. (40 IN.) 17928 KGS (39523 LBS)	127 CM. (50 IN.)
VEHICLE MASS	5 KGS (11 LBS)	2600 KGS (5732 LBS)



Junel

```
73117A00000011 958.04000000000121550000002 95 95 95 95 95020020000
00100000002002007 0101
73117A00010012
                 958.0410000000000131F41000
73117A00020012
                958.0410000000000131F42000
73117A01000021
                   8.04 0000000009523481311GTEC14H4SZ
0211223122990114011414
73117A01000022
                   8.04 0000000010101120178000000000000099899801101036-036 00
01431998103603
73117A01000031
                   8.04 00000000024212FLEW0901419999999185099038024016006002-
069
                          18504733416801000401050201001000
73117A01000041
                   73117A01000042
                   8.04 000000001105621118431102421320321106321203321120221101
12112712
             100020500492210
                   8.04 0000000002011680731119124205400001000000111001111011-03
73117A01010051
62101012214305160130000000000041100620104020118031011
73117A01010161
                   8.04 0000000001441410430512100
73117A01010261
                   8.04 0000000001140646535512100
73117A01010361
                   8.04 0000000001140654535512100
73117A01010461
                   8.04 0000000001640229665513100
73117A01010561
                   8.04 0000000001650232265513100
73117A01010661
                   8.04 0000000001851814310062108
                   8.04 0000000001290202111702100
73117A01010761
                   8.04 0000000001290202125512100
73117A01010861
73117A01010961
                   8.04 0000000001490202111702100
                   8.04 0000000001390202125512100
73117A01011061
                   8.04 0000000001490202125512100
73117A01011161
73117A01011261
                   8.04 0000000001490402125512100
73117A01011361
                   8.04 0000000001390402125512100
73117A01011461
                   8.04 0000000001390402125512100
                   8.04 0000000001790602120512100
73117A01011561
73117A01011661
                   8.04 0000000001590202110062108
                   8.04 0000000001590402110062108
73117A01011761
                   8.04 0000000001890402110072108
73117A01011861
73117A00000066
                   8.04 00000000PICKUP TRUCK-STUMP/HEAD ON
73117A00000171
                   8.04 00000000Vehicle #1 was traveling south on a two lane r
cad.
     As vehicle #1 approached
73117A00000271
                   B.04 000000000 T-intersection, it drove through the interse
ction and across a parking lot
73117A00000371
                   8.04 00000000before going off the pavement to the left and
through some tall weeds
73117A00000471
                   8.04 000000000striking a small tree and then a stump with it
s front end.
             Vehicle #1 spun
73117A00000571
                   8.04 00000000counter-clockwise off impact and the driver wa
s ejected through the left
73117A00000671
                   8.04 00000000window. Vehicle #1 came to rest southwest of
the stump facing east.
                      Vehicle
73117A00000771
                   8.04 000000000#1 was towed and the driver was killed.
                                                    1995 GMC Sierra
73117A00000181
                                                                      front
                   8.04 00000000001 full size pickup
    severe
              none
                                           L/F
73117A00000191
                   8.04 00000000001 driver
                                                      Airbag Only Neck
Fx/disloc 6 Ground
000000000000000
```

INTRA ERRORS

OGGO181 2 If REPORTED ALCOHOL PRESENCE GV13 equals 0, then ALCOHOL TEST GV14 should not equal 05-49.

GG0191 2 If ALCOHOL TEST GV14 equals 05-49, then REPORTED ALCOHOL GG0192 PRESENCE GV13 should equal 1.

OCCUPANT ASSESSMENT Vehicle: 1 Occupant: 1 INTRA ERRORS

OHH1271 2 ****** THIS CASE SHOWS EJECTION WITH RESTRAINT USAGE. ***** ***** CHECK YOUR DATA AND IF CORRECT, NOTIFY YOUR ZONE ****** HH1272 EJECTION DA12 is equal to 1-3 and ((MANUAL BELT USE DA19 does HH1273 not equal 00, 01 or 99) or HH1274 (FRONTAL AIR BAG SYSTEM DEPLOYMENT DASI does not equal 0, 7 or HH1275 HH1276 9) or (AUTOMATIC BELT USE 0A24 does not equal 0. 2 or 9)).

01

PSU73

ERROR SUMMARY SCREEN

/95

CASE 117A

CURRENT VERSION: 8.04

FORM NAME	NUMBER OF DOLLAR SIGNS	NUMBER OF LEVEL 1 ERRORS	NUMBER OF LEVEL 2 ERRORS	VERSION NUMBER CONSISTENT
Accident	0	O	o	·Y
General Vehicle	0	Ó	2	Ý
Vehicle Exterior	0	0	O	Υ
Vehicle Interior	0	0	0	Υ
Occupant Assessment	t O	O	1.	Υ
Occupant Injury	0	Ο ,	0	Υ
Total Inter Errors		o	o	
Total Case Errors	0	0	3	

U.S. Department of Transportation National Highway Traffic Safety Administration

SLIDE INDEX

NATIONAL ACCIDENT SAMPLING SYSTEM CRASHWORTHINESS DATA SYSTEM

Primary Sampling Unit Number 1 Case Number—Stratum | | 7 **Direction** Vehicle Slide **Description of Slide Subject Matter** of No. No. **Picture** APPROACH - off road to 1st impact w/ true 1-13 S to Impact \$2 14-15 S 5 16-N 17-19 look back SHOTS 20-39 EXTERIOR SHOTS EXT 40 - 60 Interior INT SHOTS to back wall, seat, a-Pillar, ST whiel, DASH & 47-51 THE PAN

Slide No.	Vehicle No.	Direction of Picture	Description of Slide Subject Matter
	÷		
-			
	1.1		
		•	

















PSU 73-117A (1995) #8





PSU 73-117A (1995) #10





PSU 73-117A (1995) #12



PSU 73-117A (1995) #13



1 (1000) # 14



PSU 73-117A(1995) #15



PSU 73-117A(1995) #16



PSU 73-117A(1995) #17



PSU 73-117A(1995) #18



PSU 73-117A(1995) #19



PSU 73-117A(1995) #20



PSU 73-117A(1995) #21



PSU 73-117A(1995) #22



PSU 73-117A(1995) #23



PSU 73-117A(1995) #24




PSU 73-117A(1995) #25 Best Available



PSU 73-117A(1995) #26



Best Available



PSU 73-117A(1995) #28





PSU 73-117A(1995) #30 Best Available



PSU 73-117A(1995) #31



PSU 73-117A(1995) #32



PSU 73-117A(1995) #33




PSU 73-117A(1995) #34



PSU 73-117A(1995) #35



PSU 73-117A(1995) #36



PSU 73-117A(1995) #37



PSU 73-117A(1995) #38





PSU 73-117A(1995) #40



PSU 73-117A(1995)#41



PSU 73-117A(1995) #42



PSU 73-117A(1995) #43 Best Available



PSU 73-117A(1995) #44





PSU 73-117A(1995) #46



Best Available















PSU 73-117A (1995) #54



PSU 73-117A (1995) #55



PSU 73-117A (1995) #56 Best Available







